#### **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



62,57

ILIBIA A IRA RECEIVED APR 101945

U S Department f Agriculture

# FORBES SEEDS



# ALEXANDER FORBES & CO.

SEEDSMEN · 487 Washington St., Newark 2, N. J.

Between Kinney St. and Clinton Avenue

SALES GARDEN AND FIELD STORE ON ROUTE 10, HANOVER, N. J.

About one mile west of the Livingston Traffic Circle

for

1

9

4

5

# Let's Grow More Vegetables in Our Gardens in 1945

Most of us loyally responded to the 1944 Victory Garden Campaign, but in 1945 we will need still more vegetables. Most of us at home, because other foods are rationed, have eaten more fresh vegetables and fruits than usual. And more hungry mouths abroad must be fed as subjugated nations are liberated. Whether it is additional gardens, the use of better seed, better planning, feeding, cultivating or spraying, the answer must be to have more and better vegetables from your garden in 1945.

We show on this page two helpful charts. Rather than buy seed collections, plan your garden to your family's tastes. We are ready to help. But start right with the best seeds. Since 1898 we have supplied thousands of tons of vegetable seeds to the nation's most progressive, commercial vegetable farmers who use only the best.

Phone (MArket 2-3740) or mail us your order. We'll get it to you promptly. Only orders of \$1 or more sent C.O.D.

#### Start these Vegetables indoors, or buy our plants

	Seed for 25-ft. row	Depth to cover seed (in.)	Days from seed indoors to setting plants in garden	Set plants out in your garden	No. plants for 25-ft. row	No. feet between rows	Plants apart in rows (in.)	Days from setting plants to table size
Broccoli	Pkt,	1/4	40	Apr. 1 to July 15	18	$2\frac{1}{2}$	18	60
Cabbage, Early	Pkt.	1/4	40	Apr. 15 to June 1	18	$2\frac{1}{2}$	18	60-65
Cabbage, Late	Pkt.	1/4	35	June 15 to July 15	12	3.	24	90-100
Cauliflower, Early.	Pkt.	1/4	40	Apr. 15–30	18	21/2	18	50-55
Cauliflower, Late	Pkt.	1/4	35	June 15 to July 1	12	3	24	60-70
Celery	Pkt.	1/4	55	May 1 to July 15	48	2	6	90-125
Eggplant	Pkt.	1/4	55	June 1–15	12	$2\frac{1}{2}$	24	80-85
Kohlrabi	Pkt.	1/4	40	Apr. 1 to June 10	36	11/2	8	30
Lettuce, Head	Pkt.	1/4	30	Apr. 1 to May 15	30	11/2	10	40-50
Parsley	Pkt.	1/4	45	Apr. 1 to July 1	96	1	3	45
Peppers	Pkt.	1/4	50	May 15 to June 15	18	2	18	60-75
Tomatoes, Early	Pkt.	1/4	45	May 15 to June 15	8	3	36	65-75
Tomatoes, Late	Pkt.	1/4	45	May 15 to June 15	8	3	36	75–85

# Sow these Vegetable Seeds right in your Garden

								1
		SS			ws.	(in.)	(in.)	
	sa	sowings		row	feet between rows	pea	row	Ready to pick (days)
†Plant in hills, not rows	sowings			ro ro	/eer	Depth to cover seed	in r	p) x
\$5–6 seeds per hill		between	Sow Seed Outdoors	25-ft.	etw	20V	apart in	picl
†Plant in double rows *Means several	r of	etw		or 2	et b	to	ар	to
11104115 50 1 51 51	nbe			Seed for		pth	Plants	ady
	Number	Days	• means Seed for 50-ft. row	See	No.	De	Pla	Re
Beans, Dwarf	*	14	May 15 to Aug. 1	½lb.	2	2	3	48–56
Beans, Pole†§	1		May 15 to June 15	Pkt.	$3\frac{1}{2}$	2.	36	65–70
Beans, Bush Lima	2			1/2lb.	$2\frac{1}{2}$	1	6	65–75
Beans, Pole Lima†§			May 20 to June 10	Pkt.	$3\frac{1}{2}$	1	36	80-90
Beets	*			Oz.	1	1	3	50-65
Cabbage, Chinese	1	1	July 1 to Aug. 1	Pkt.	11/2	1/2	8	65-75
Carrots			Apr. 1 to July 1	$\frac{1}{4}$ oz.	1	1/2	2	65–75
Cucumbers	1		May 15 to June 15	Pkt.	4	1/2	8	60-75
Endive	2	75	Apr. 10; June 1 to July 15	Pkt.	11/2	1/2	12	90
Kale	2	60	Apr. 15 to July 15	Pkt.	$2\frac{1}{2}$	1/2	18	65-85
Kohlrabi	2		Apr. 1–10; July 20	Pkt.	$1\frac{1}{2}$	1/2	4	55-60
Leeks	1	_	Apr. 1 to May 10	1/40Z.	11/2	1/2	4	150
Lettuce, Loose-Leaf	4	14	Mar. 15-Apr. 15; July 10	Pkt.	11/2	1/4	6	35-45
Lettuce, Head	4	14	Mar. 15-Apr. 15; July 10	Pkt.	$1\frac{1}{2}$		10	70-85
Muskmelon†	1		May 20 to June 1	Pkt.	5	1/2	60	80-95
Mustard	*	14	Apr. 1 to Aug. 1	Oz.	1	1/4	4	35
Okra			May 20–30	Oz.	3	1	18	60-65
Onions	1		Apr. 1 to May 20	1/40Z.	1	1/2	2	95-120
Parsley	1	-	Apr. 15 to Aug. 1	Pkt.	1	1/4		90-95
Parsnip	1		Apr. 1 to May 15	1/40Z.	11/2		4	130
Peas‡	4	14	Mar. 15 to May 10	1/2lb.	3	2		58-74
Pumpkin§	1		May 15 to June 15	Pkt.	6	1	72	
Radish, Early	*	10	Mar. 15 to Aug. 15	Pkt.	1	1/2	1	24-30
Radish, Winter	1	-	July 20 to Aug. 5	Pkt.	1	1/2		50-60
Rutabaga	1	-	June 15 to July 15	Pkt.	11/2			
Salsify	1	-	Apr. 1 to May 15	Oz.	11/2	_		,
Spinach	*	10	Mar. 15-May 15; Aug.	Oz.	1	1/2		40-50
Spin., New Zealand	1	-	Apr. 1 to May 30	Oz.	3	1	1	65-75
Squash, Summert.	. 1		May 20 to June 1	Pkt.	4	1		55–70
Squash, Bush, Sum.	1	-	May 20 to June 1	Pkt.	3	1		50-60
Squash, Winter†		-	May 20 to June 1	2 pkts.	5	1	1	75–115
Sweet Corn		14	May 15 to July 15	Pkt.				67–100
Swiss Chard	2	30	Apr. 1 to July 15	Oz.	11/		1-0	3 50-60
Turnips			Apr. 15 to May 15; July		1	1/4	1	3 40-75
		-	-May 20 to June 10	Pkt.		1		85–95
Ruy War Rands						1	100	100 00

# Forbes Vegetable Seeds for Your Victory Garden

Growing vegetables is patriotic and really necessary. It's interesting and healthful, too, not to speak of the supply of nourishing food at little cost. But it's not all fun. To succeed use good soil in the sun, plan well, and carefully select your varieties. Keep your crops free from weeds and well cultivated. But most important of all, plant the best seeds, for good vegetables do not grow from poor seeds.

Since 1898 Forbes Seeds have been used in huge quantities by the farmers who grow the vegetables you have bought at your vegetable store. Use these same Forbes Seeds in your own garden.

This selection of varieties will give you the best results. Order early for many are in short supply.

Asparagus, Mary Washington, Rustproof. Rapid-growing, thick, deep green stalks; purple tips. Pkt. 10c.; oz. 25c. Beans, Dwarf Green, Black Valentine Stringless. Pod 6 in., round, tender. 50 days. Pkt. 10c.; ½lb. 25c.; lb. 40c. Beans, Dwarf Green, Bountiful. Best green, flat pod 6½ in. long, stringless. 48 days. Pkt. 10c.; ½lb. 25c.; lb. 40c. Beans, Dwarf Green, Tendergreen. Slender, round, straight

7-in. pods, stringless, tender. The best round-podded dwarf green Bean. 52 days. Pkt. 10c.; ½lb. 25c.; lb. 40c.

Beans, Dwarf Wax, Sure-Crop. Flat, 6½-in. deep, yellow, thick stringless pods. 53 days. Pkt. 10c.; ½lb. 25c.; lb. 40c.

Beans, Dwarf Wax, Unrivaled. Slim, half round, 51/2-in. pale yellow, fine pods. 52 days. Pkt. 10c.; ½lb. 25c.; lb. 40c.

Beans, Pole, Green, Kentucky Wonder. Deeply creased, 8-in. meaty, stringless. 65 days. Pkt. 10c.; ½lb. 25c.; lb. 40c. Beans, Bush Lima, Baby Fordhook. Prolific; 2-in. plump pods; small Beans. 70 days. Pkt. 10c.; ½lb. 25c.; lb. 40c.

Beans, Bush Lima, Fordhook. Best large meaty, tender Beans, 4 to a pod. 75 days. Pkt. 10c.; ½lb. 25c.; lb. 40c. Beans, Pole Lima, Challenger. Large pods with thick green Beans. 90 days. Pkt. 10c.; ½lb. 25c.; lb. 40c.

Beans, Pole Lima, King of the Garden. Prolific with large,

flat pods. 88 days. Pkt. 10c.; ½lb. 25c.; lb. 40c. Beans, Edible Soy, Bansei. Early, 2-ft. bushes loaded with pods shelling out medium green, oval Beans in 96 days. Require no support. Pkt. 10c.; ½lb. 30c.; lb. 50c.

Beet, Crosby's Egyptian, Dark. Very early, round dark blood-red roots, green tops. Fine quality. Pkt. 10c.; oz. 30c. Beet, Detroit Dark Red. Smooth, almost globed, dark red roots with green-veined tops. Best for late. Pkt. 10c.; oz. 30c. Beet, Early Wonder. Best early. Deep blood-red, near-globe roots of extra fine quality. Pkt. 10c.; oz. 25c.

Broccoli, Green Sprouting. The flower-bud heads form on side branches after the center head is cut. Yields over 8-week period. Tender, delicate flavor. Pkt. 10c.; 1/4 oz. 30c.

Brussels Sprouts, Long Island Half Dwarf. Hardy, 20-inch plants; fine sprouts. Pkt. 10c.; ¼oz. 40c.

Cabbage, Marion Market. Large, round, very deep, hard green Copenhagen Market type. Pkt. 10c.; ¼oz. 25c. Cabbage, Penn State Ballhead. Late. Hard, heavy, round,

large heads on short stems. Pkt. 10c.; 1/4 oz. 30c. Cabbage, Late Flat Dutch. Very large, round, flat, tight, hard heads. Matures late; fine for storing. Pkt. 10c.; ½oz. 25c. Cabbage, Y. R. Red Hollander. Late and fine for storing.

A heavy yielder and sure header. Pkt. 10c.; ¼oz. 35c.

Cabbage, Savoy, Perfection Drumhead. Large, round, solid dark green heads; crimped leaves. Pkt. 10c.; ¼oz. 25c.

Cardoon, Spanish. Large fleshy-leaved plants for winter. Blanched stalks and inner leaf ribs cook tender. Pkt. 15c.

Carrot, Chantenay Half-long. Heavy shouldered, 5-in., smooth, deep orange-red roots. Pkt. 10c.; oz. 20c. Carrot, Chantenay Long. Like above but 7 in. long. Fine for deep or sandy soils. Pkt. 10c.; oz. 25c.

Carrot, Danvers. Smooth, 7-in., tapering roots; 1\%-inch square shoulders; sweet, orange, crisp flesh. Pkt. 10c.; oz. 25c.

Carrot, Imperator. Like long California Carrots; good on deeply prepared soils only. Pkt. 10c.; oz. 30c.

Carrot, Nantes XXX. Finest flavor and quality. Pure orange, 6 in., cylindrical, blunted roots. Small tops. Pkt. 10c.; ¼oz. 15c.; oz. 35c.

Cauliflower, Forbes Reliance. Deluxe with deep, heavy,

fine white curds well protected by foliage. Pkt. 20c.

Cauliflower, "The Forbes." The finest Snowball. Early, pure white, round curds with fine leaf protection. Pkt. 20c. Celeriac, Dwarf, Moonarchie. A short-top, fine-grained, Knob Celery, free from side roots. Pkt. 10c.; 1/4 oz. 30c.

Celery, Giant Pascal. Long keeping, late green variety, with broad, ribbed, crisp stalks. Fine flavor for soups. Pkt. 10c. Celery, Golden Plume, Taller Strain. Large, full-hearted solid yellow; easily blanched. Crisp fine flavor. Pkt. 20c.

Celery, Golden Self-blanching, Tall. Very rapid grower; blanches quickly. Best for small heart bunches. Pkt. 10c. Celery, King Pascal. The crispest, best-flavored of all. Deeply rounded, smooth, glossy stems; large heart. A pale green type but blanches readily. Pkt. 20c.

Celery, Newark Market. Easy-blanching green type with large stalks and very full heart. Grows rapidly. Pkt. 20c.

Chinese Cabbage, Special Narrow Head. Upright tapered heads, 15 to 18 in. tall and 4 to 5 in. across; very solid, well blanched, crisp and delicious. Pkt. 10c.; ¼oz. 15c. Collards, Georgia. Like a loose-leaved cabbage with undu-

lated leaves at stem tops. Ht. 3 ft. Pkt. 10c.; oz. 15c. Corn, Hybrid, Golden Cross Bantam. Yellow, 8-in., 10 to 14-rowed ears in 90 days. Pkt. 15c.; ½lb. 35c.; lb. 60c.

Corn, Hybrid, Marcross C13.6. Golden yellow, 8-in., 10 to 14-rowed ears in 74 to 77 days. Pkt. 15c.; ½lb. 35c.; lb. 60c. Corn, Hybrid, Spancross C4.13. Deep yellow, 7-in., 12rowed ears in 67 to 70 days. Pkt. 15c.; ½lb. 35c.; lb. 60c. Corn, Golden Bantam. A strain with 7½-in., 8-rowed, golden yellow ears on 5½-ft. stalks in 82 days. Pkt. 10c.;

Corn, Whipple's Yellow. Large, 8-in. golden yellow, 12 to 16-rowed ears in 82 to 87 days. Pkt. 10c.; ½lb. 25c.; lb. 40c. Corn, Stowell's Evergreen. Large, late, 9-in., 18-rowed white ears in 95 to 100 days. Pkt. 10c.; ½lb. 25c.; lb. 40c. Cucumber, National Pickling. Very uniform black-spined dark green fadeless fruits; productive. Pkt. 10c.; oz. 20c. Cucumber, Colorado. Long slender dark green white spine,


10 by 2½-in. fruits on vigorous vines. Pkt. 10c.; oz. 20c. Cucumber, Cubit. All America 1944. Dark green, cylindrical, 7-in. fruits with rounded ends. Productive. Pkt. 25c. Cucumber, Longfellow. Smooth, dark green, white spine fruits, best when 10 by 2 in. Prolific. Pkt. 10c.; oz. 20c.

Cucumber, Straight-8. Smooth, straight, cylindrical 8 by 1¾-in. deep green fruits with blunt ends. Pkt. 10c.; oz. 20c. Dandelion, Italian (Ciccoria catalogna). After cutting main stalk, plant produces many sprouts. Pkt. 10c.; ¼oz. 20c. Dandelion, Thick-Leaf. Deep green leaves of great substance. Compact upright tufts. Pkt. 10c.; ¼oz. 25c.

Eggplant, Black Beauty. The best. Round, sturdy bushes with purple-black heavy fruits. Pkt. 10c.; 1/40z. 30c. Endive, Full Heart Batavian (Escarolle). Broad, round-

leaved plants. Hearts blanch yellow. Pkt. 10c.; ¼oz. 15c. Endive, Mammoth Bordeaux Curled. Large full plants, 20 in. across. Fine for summer and fall. Pkt. 10c.; ¼oz. 15c. Herbs, Basil, Sweet. Branching, hardy annual with plants growing a foot high. For seasoning. Pkt. 10c.; ¼oz. 25c.

Herbs, Dill, Mammoth. Hardy annual, 21/2 ft. high. The leaves used for flavoring dill pickles. Pkt. 10c.; oz. 20c. Herbs, Florence Fennel. Bulb-like base with numerous branching leaf-stalks; aromatic leaves. Pkt. 10c.; oz. 20c.



Special Narrow Head Chinese Cabbage





Early Wonder Beet



# Forbes Vegetable Seeds for Your Victory Garden

Herbs, Sage, Broad Leaf. Bushy gray-foliaged plants, 18 in. high, used for seasoning. Pkt. 15c.; 1/4 oz. 60c

Herbs, Savory, Summer. Slender branching plants, growing 10 in. high. Used for flavoring. Pkt. 15c.; 1/4 oz. 55c.

Kale, Blue Curled Dwarf Scotch. Hardy short-stemmed, spreading blue-green curled leaves. Pkt. 10c.; 1/4 oz. 15c. Kale, Siberian. Vigorous, very hardy dwarf spreading bluegreen leaves with coarsely curled edges. Pkt. 10c.; oz. 20c.

Kohlrabi, Large White Vienna. Early, smooth, white bulbs, fine when 2-in. diameter. Pkt. 10c.; 1/4 oz. 20c.

Leek, American Flag. Fine, early quick grower. Best used

for late summer as not hardy. Pkt. 10c.; ¼oz. 25c. Leek, Giant Italian. Very hardy, long keeper, good for fall or winter crop. Stems often 3 in. thick. Pkt. 10c.; ¼oz. 25c. Lettuce, Head, Great Lakes. All America 1944. Medium size, solid, crisp. Stands heat well. Pkt. 10c.; ¼oz. 25c.

Lettuce, Head, New York No. 12. An early maturing, uniform strain; fine right up to July. Pkt. 10c.; 1/4 oz. 15c.

ettuce, Head, New York No. 55. Very early, deep, round medium-green crisp heads. Pkt. 10c.; 1/40z. 15c.

Lettuce, Head, White Boston, N. J. Special. A pale green Big Boston type for first spring planting. Pkt. 10c.; oz. 30c. Lettuce, Loose-Leaf, Grand Rapids. Hardy, erect plants; loose, bright green crimped leaves. Pkt. 10c.; oz. 20c.

Lettuce, Loose-Leaf, Simpson, Black-seeded. Early, broad, light green, crisp smooth leaves. Pkt. 10c.; oz. 20c. Lettuce, Romaine, Trianon Cos. Compact, erect heads, 12 in. high and blunt at the top. Pkt. 10c.; oz. 20c.

Mangel, Mammoth Long Red. Heavy-shouldered, light red roots, 18 in. long, 6 in. across. Pkt. 10c.; oz. 20c. Muskmelon, Hearts of Gold XXX. Oval, 6-in. diam. Thick

golden sweet flesh. Early. Pkt. 10c.; 1/4 oz. 15c.

Muskmelon, Honey Rock. Oval-round, 5 by 6-in., light golden melons without ribs but with heavy coarse netting. Deep orange flesh is luscious and sweet. Pkt. 10c.; 1/4 oz. 15c.

Muskmelon, Jersey Gold. The best. Moderately netted, corded, pale green, 5-lb. oval melons, 7 by 6 in. Sweet, salmon, thick flesh. Pkt. 10c.; \( \frac{1}{4}\text{oz.} 15c. \)

Mustard, Fordhook Fancy. Long, dark green, curled, deeply cut leaves which curve outward. Pkt. 10c.; oz. 15c.

Okra, Dwarf Prolific. Very early, green, tender pods on prolific, dwarf stocky plants. Pkt. 10c.; oz. 15c.

Okra, Perkin's Mammoth. Early, productive, 3-ft. plants; long, deep green, slender, tender pods. Pkt. 10c.; oz. 15c.

Onion, Southport Red Globe. Solid, red globes which store well. Strongly flavored. Pkt. 10c.; ½oz. 20c.
Onion, Southport White Globe. The best white for either

dry Onions or scallions. Pkt. 10c.; 1/4 oz. 30c.

Onion, Southport Yellow Globe, Brigham Strain. Solid globe, tnick, tight golden skins. Pkt. 10c.; 1/4 oz. 30c.

Onion, White Sweet Spanish. Large storage Onions, when half grown used as "boilers." Pkt. 10c.; 1/4 oz. 30c. Onion, Yellow Sweet Spanish. Very large, bright golden

yellow, globe-shaped; mild flavor. Pkt. 10c.; 1/4 oz. 30c Onion Sets. For earlier mature Onions. White and Yellow Each, ½lb. 25c.; lb. 45c.; 4 lbs. \$1.75; 8 lbs. \$3.40.

Parsley, Extra Double Curled. Finely cut, densely curled. Dark green leaves. Cuts a long time. Pkt. 10c.; oz. 20c.

Parsley, Hamburg, Short. Early, short, thick roots, in flavor and appearance like parsnips. Pkt. 10c.; oz. 20c.

Parsley, Italian or Plain. Flat, deeply cut, but not curled dark green leaves of high flavor. Pkt. 10c.; oz. 20c. Parsnip, Hollow Crown XXX. Uniform heavy-shouldered.

9-in. tapered cream-white roots. Pkt. 10c.; 1/4 oz. 15c. Peas, Laxton's Progress. Vines 15 in. Deep green, pointed 4½-in. pods in 64 days. Pkt. 10c.; ½lb. 25c.; lb. 40c.

Peas, Little Marvel. Vines 18 in. Heavy crop, 31/2-in. pods, always full. 63 days. Pkt. 10c.; ½lb. 25c.; lb. 40c.

Peas, Telephone. Vigorous vines, 31/2 ft. high, produce dark green 4½-in. pods. 72 days. Pkt. 10c.; ½lb. 25c.; lb. 40c. Peas, World's Record. In 59 days, the 2-ft. vines bear dark

green, 4-in. pointed pods. Pkt. 10c.; ½lb. 25c.; lb. 40c.

Pepper, California Wonder XXX. Solid, green, blocky, 4-nosed, square-ended, 5 by 4-in. Mild. Pkt. 10c.; 1/4 oz. 30c.

Pepper, Jersey Wonder. Early, smaller-fruited California Wonder but far more prolific. Pkt. 10c.

Pepper, King of the North. Very early, smooth, tapered, shiny, mild Peppers, 6 to 7 in. long. Pkt. 10c.; ¼oz. 30c.

Pepper, Worldbeater. Medium-early, very large 5 in. long and 3½ in. across. Very prolific. Pkt. 10c.; ¼oz. 25c.

Pumpkin Large Cheese. Large flattened-round mottled

Pumpkin, Large Cheese. Large, flattened-round, mottled, maturing creamy yellow. Flesh deep yellow. Pkt. 10c.; oz. 20c. Pumpkin, Small Sugar. Best for pies. Ribbed, flat-round orange Pumpkin 10 in. across. Pkt. 10c.; oz. 20c.

Radish, Scarlet Globe. Scarlet, smooth roots, solid and crisp. Easily, quickly grown in fined soil. Pkt. 10c.; oz. 15c. Radish, Scarlet Turnip White-Tip. Bright, clean round roots of scarlet tipped with white. Early. Pkt. 10c.; oz. 15c.

Radish, Long Icicle. Waxy white, 5 to 6-in. roots tapering from the shoulder down. Early. Pkt. 10c.; oz. 15c.

Radish, Summer, White Strasburg. Long turnip-shaped, white roots 6 in. long and 2 in. through. Pkt. 10c.; oz. 15c. Radish, Winter Round Black Spanish. Gray-black, round, top-shaped, 4 in. across and 2 in. deep. Pkt. 10c.; oz. 15c. Rutabaga, Neckless. Small tops, large, purple-topped yellow

globe roots without neck. Pkt. 10c.; oz. 20c. Salsify, Mammoth Sandwich Island. A large, strong plant with long white tapering roots. Pkt. 10c.; 1/4 oz. 15c.

Sorrel, Narrow-Leaf. The leaves are quite narrow, somewhat thick, and stand a lot of cutting. Pkt. 10c.; ¼oz. 20c. Spinach, Dark Green Bloomsdale Savoy. Very early. Dark green, thick crumpled leaves. Oz. 10c.; ¼lb. 20c.

Spinach, Haarlem Market. A prickly-seeded, dark green, heavily savoyed variety. Sow early. Oz. 10c.; ¼lb. 20c. Spinach, Long-Standing Savoy. Intensely crumpled, blistered deep green leaves. The best. Oz. 10c.; 1/4 lb. 20c.

Spinach, New Zealand. Large spreading plants with small, pointed leaves. Grow during the hot months. Pkt. 10c.; oz. 30c. Squash, Bush Summer, Light Yellow Straightneck. A bush strain with creamy-yellow fruits. Pkt. 10c.; oz. 20c.

Squash, Summer, Cocozelle. Tapering, cylindrical, smooth, dark green. Best when 6 in. long. Pkt. 10c.; oz. 20c. Squash, Summer, White Bush Scalloped. The well-known

white scalloped Patty-Pan Squash. Pkt. 10c.; oz. 20c.

Squash, Winter, Butternut. (New.) Tan, smooth, 10 in. long with enlarged end. Keeps well. Pkt. 10c.; ¼oz. 20c. Squash, Winter, Des Moines, or Acorn. Vigorous vines; black-green, acorn fruits, 6 by 4 in. Pkt. 10c.; oz. 20c. Squash, Winter, Warted Hubbard. Large, warted, hard,

dark green fruits. Dry orange flesh. Pkt. 10c.; oz. 30c. Swiss Chard, Fordhook Giant. Dark green, glossy, heavily crumpled leaves borne erect. Pkt. 10c.; oz. 20c.

Swiss Chard, Lucullus. Pale green, crimped and curled leaves and broad white chards. Pkt. 10c.; oz. 20c. Swiss Chard, Rhubarb. Crimson stalks; dark green, heavily

crumpled leaves veined crimson, Pkt. 15c.; oz. 50c. Tomato, Bonny Best. The best extra-early with medium-

sized, scarlet, smooth, round fruits. Pkt. 10c.; 1/4 oz. 25c. Tomato, Italian Red Plum. Clusters of bright red, solid

2½-in. oval fruits in abundance. Pkt. 10c.; ¼oz. 40c. Tomato, Marglobe. Midseason. Big, smooth, uniform, scar-

let, globe fruits fine for canning. Pkt. 10c.; ¼oz. 25c. Tomato, Ponderosa or Beefsteak. Huge, purplish pink fruits free from acid. For midseason. Pkt. 10c.

Tomato, Rutgers. Deep-round, very large, scarlet fruits are solid and heavy. Best for juice. Pkt. 10c.; 1/40z. 30c.

Tomato, Stokesdale. An early large-fruited variety with deep-round heavy scarlet Tomatoes. Pkt. 10c.; 1/4 oz. 30c. Turnip, Purple-Top White Globe. Uniform, smooth globe; white below ground, purple above. Pkt. 10c.; oz. 15c.

Turnip, Yellow Globe Green-Top. Large, smooth round roots with yellow flesh of nice texture. Pkt. 10c.; oz. 15c.

Watermelon, W.R. Stone Mountain. Very early, heavy, blocky, nearly round, dark green melons. Pkt. 10c.; oz. 20c.

# Forbes Fine Flower Seeds

During war time it is essential to keep up morale. Long work hours, anxiety about our men and women in service, the dislocation of our normal lives, all call for some comforting distraction. Here's where bright flower borders will help. And flowers can well be used to outline or brighten up a vegetable garden. With less opportunity to vacation this year, fix up your garden. Grow flowers.

#### Seeds of Annual Flowers

With a delicate beauty and shades of color all their own, Annuals sprout from seed, grow, flower, fruit and die all within the garden year. They are easily grown from seed. Many provide beautiful cut-flowers; all improve a garden. They range in height from dwarf edging plants to tall background subjects.

Acroclinum, Giant Double Hybrids. Double daisy flowers in pastel tones. Everlasting. Ht. 20 in. Pkt. 15c.; 1/4 oz. 30c. Ageratum, Blue Boy. Extra dwarf, compact, uniform with deep blue flower-heads. Ht. 4 in. Pkt. 20c.; \(\frac{1}{16}\text{oz.}\) 55c. Ageratum, Blue Perfection. Taller growing, larger-flowered

strain than Blue Boy. Ht. 10 in. Pkt. 15c.; ¼oz. 50c. Ageratum, Midget Blue. The dwarfest, covered with small blue flowers. Fine for edging. Pkt. 20c.;  $\frac{1}{16}$ oz. 65c. Alyssum, Carpet of Snow. Round flat plants, 5 in. high,

10 in. across; tiny white flowers. Pkt. 10c.; ½oz. 30c. Alyssum, Snow Cloth. Like above; flatter, earlier, 2 in. high. Round plants, 12 in. across. White. Pkt. 10c.; 1/4 oz. 30c. Alyssum, Violet Queen. Round mounds, 10 in. across, 4 in. high. Bright violet flowers. Pkt. 15c.; ¼oz. 45c. Amaranthus, Molten Fire. Dark bronze leaves; poinsettia-

red tops. Ornamental. Ht. 3 ft. Pkt. 10c.; ½oz. 25c.

Anagallis grandiflora, Blue. Deep turquoise-blue star flowers. Spreading plants. Ht. 9 in. Pkt. 10c.; ¼oz. 25c. Anchusa, Blue Bird. Flat, indigo-blue flower-heads on terminal stems. Compact. Ht. 18 in. Pkt. 10c.; 1/40z. 20c. Arctotis grandis. Mauve-centered, pearl-white daisies; petal backs lilac. Bushy. Ht. 2½ ft. Pkt. 10c.; ¼oz. 30c. Arctotis, Autumn Shades. Burnt-orange, yellow, cream-

red daisies. Gray-green. Ht. 10 in. Pkt. 25c.; ½ oz. 45c. Aster, W. R. American Beauty, Mixed. Full double heads, 4 in. across in early Sept. Ht. 2½ ft. Pkt. 15c.; ½80z. 35c.

Aster, W. R. Branching. Chrysanthemum-like, double. Azure Blue, Crimson, Shell-Pink, Purple, Deep Rose, White & Mixed. Sept. Ht. 3 ft. Ea., pkt. 10c.; ½80z. 25c. Aster, W. R. Heart of France. Medium-sized, deep red

flowers on long stems in Aug. Ht. 2 ft. Pkt. 15c.; ½oz. 35c. Aster, W. R. Queen of the Market, Mixed. Graceful, double flowers; early Aug. Ht. 20 in. Pkt. 10c.; ½oz. 25c. Aster, California Giants, Mixed. Giant 5-in., fluffy full flowers with flat curled petals. Ht. 3 ft. Pkt. 15c.;  $\frac{1}{16}$ oz. 30c. Aster, California Sunshine, Mixed. Half-double, 5-in. blooms with yellow cushion centers and a single row of

pastel petals in mid-Sept. Ht. 2-3 ft. Pkt. 20c.; ½oz. 35c. Aster, Imbricated Pompon, Mixed. Many small round pompons in early Aug. on 18-in. plants. Pkt. 15c.; 1/80z. 45c. Balsam, Double Camellia-fld. Mixed. Double flowers along stems of bushy 18-in. plants. Pkt. 10c.; 1/4 oz. 20c.

Balsam, Dwarf, Torch (vermilion) and Mixed. Double flowers at top of stems on 10-inch plants. Each, pkt. 20c.; ½ oz. 55c.

Calendula, Campfire. Flat-topped, 4-in. deep orange flowers with scarlet sheen on long stems. Pkt. 15c.; ½0z. 35c. Calendula, Orange King. Double red-orange flowers with darker full centers. Ht. 18 in. Pkt. 10c.; ¼0z. 20c. Calendula, Orange Shaggy. Shaggy double orange-red; slightly lighter centers. Ht. 18 in. Pkt. 10c.; ¼0z. 20c.

Calendula, Double Mixed. Extra-large double flat-topped

flowers in orange and yellow tones. Pkt. 10c.; oz. 45c. Calliopsis, Dwarf, Mixed. Compact, 12-in. bushes; gay single flowers with ray petals. Pkt. 10c.; 1/4 oz. 15c.
Canterbury Bells, Annual Mixed Hybrids. Like biennial

Campanula Medium; blooms in 6 mos. Pkt. 10c.; 1/4 oz. 25c. Candytuft, Giant White Hyacinth-fld. Spikes of snowwhite florets; 18-in. branching plants. Pkt. 10c.; ¼oz. 25c. Candytuft, Umbellata, Dwarf Mixed. Flower umbels in

rose, lilac and white on 12-in. plants. Pkt. 10c.; 1/4 oz. 25c.

Cardinal Climber. Rapid-growing, fern-like vine studded with fiery cardinal-red flowers. Pkt. 20c.; 1/4 oz. 65c. Carnation, Chabaud's Giant Outdoor, Mixed. Double clove-scented flowers. 20-in. plants. Pkt. 20c.;  $\frac{1}{16}$ oz. 35c. Celosia Childsi, Mixed. Woolly globes in crimson, pink, rose, and yellow at ends of branches. Ht. 3 ft. Pkt. 10c.; 1/80z. 25c. Celosia cristata, Dwarf Empress. Crimson cockscombs on

dwarf, 10-in., bronze-foliaged plants. Pkt. 10c.;  $\frac{1}{16}$ oz. 20c. Celosia cristata, Dwarf Mixed. Like above, but in rose orange, gold and white as well. Pkt. 10c.;  $\frac{1}{16}$ oz. 20c. Celosia plumosa, Ostrich Plumed, Mixed. Crimson, red,

scarlet and yellow plumes. Ht. 2 ft. Pkt. 10c.; ¼oz. 35c. Celosia pyramidalis, Dwarf Fiery Feather. Perfect 12-in. pyramids, fiery red spires. Pkt. 15c.;  $\frac{1}{16}$ oz. 35c. Centaurea cyanus, Jubilee Gem. Double deep blue Corn-

flowers on compact, 12-in. plants. Pkt. 15c.; ½oz. 30c. Centaurea cyanus, Super Giant. Black Boy. Black-maroon; Blue Boy; Pinkie; Red Boy; Snowman, and

Mixed. Ht. 3 ft. Each, pkt. 10c.; 1/4 oz. 20c. Centaurea imperialis, Mixed. Fragrant Giant Sweet Sultans. Ht. 2½ ft. Fine for cutting. Pkt. 10c.; ¼oz. 30c.

Chrysanthemum coronarium, Double Mixed. Very full, in shades of yellow. Ht. 3 ft. Pkt. 10c.; ¼oz. 15c. Chrysanthemum tricolor, Single, Mixed. Yellow, orange, white daisies, dark zones. Ht. 2 ft. Pkt. 10c.; ¼oz. 15c. Clarkia elegans, Double, Mixed. Long graceful sprays of double flowers like cherry-blossoms. Pkt. 10c.; ¼oz. 35c.

Cleome, Pink Queen. New true pink Spider Flower on fine background plants, 4 ft. high. Pkt. 15c.; 1/8oz. 25c.

Cosmos, Dwarf Early Summer-flg., Mixed. Single, 3-in. flowers on vigorous 4-ft. plants. Pkt. 10c.; 1/4 oz. 15c.

Cosmos, Early Double flg., Mixed. Double centers; outer petals single. Ht. 4 ft. Pkt. 15c.; ½0z. 40c.

Cosmos, Orange Flare. Vivid orange, single blooms in 4 months on long-stemmed, 3½-ft. plants. Pkt. 10c.; ¼0z. 30c. Cosmos, Yellow Flare. Lively bright yellow flowers, 21/2 in.

across on 3-ft. plants. Pkt. 10c.; ¼oz. 30c.

Cosmos, Sensation, Dazzler. Deep crimson-red, huge flowers on long stems. Ht. 4 ft. Pkt. 10c.; ¼oz. 30c.

Cosmos, Sensation, Mixed. Huge, 4 to 5-in. flowers in

white, crimson and pink, on 4-ft. plants. Pkt. 10c.; ½0z. 25c. Cuphea, Firefly. Dwarf compact 10-in. plants with many small fiery cerise-red flowers. Pkt. 15c.; ½ oz. 30c. Cynoglossum, Firmament. Bushy compact plants with

bright blue flowers. Ht. 15 in. Pkt. 10c.; ½0z. 20c. Dahlia, Unwin's XXX Dwarf Hybrids. Double and semidouble in pastel colors. Ht. 2 ft. Pkt. 20c.; ½80z. 55c.

Dianthus chinensis, Double, Mixed. Very double, fra-

grant China Pinks on 18-in. plants. Pkt. 10c.; ¼oz. 25c.

Dianthus, Wonderful, Mixed. Large double flowers with deeply cut petals. Ht. 1 ft. Pkt. 10c.; ¼oz. 30c.

Didiscus cærulea. Pale azure-blue, umbel-shaped Blue Lace Flowers on long stems. Ht. 1½ ft. Pkt. 10c.; ½0z. 25c. Dimorphotheca aurantiaca, Mixed Hybrids. Dark centered, 2½-in. daisies with long narrow incurved petals in orange, yellow, salmon and white. Pkt. 15c.; ½oz. 25c.


Eschscholtzia, California Hybrids, Mixed. Dwarf, erect California Poppies on 1-ft. plants. Pkt. 10c.; ¼oz. 35c. Euphorbia variegata. Bushy, 2-ft. Snow-on-the-Mountain with wide green and white leaves. Pkt. 10c.; ½oz. 30c.



Arctotis. Autumn Shades



Centaurea Cyanus, Super-Giant






Aster, W. R. Branching






Dwarf Morning-Glory, Royal Ensign Larkspur, Giant Imperial White King

Petunia, Single Dwarf Bedding, Cheerful





Gaillardia Lorenziana, Double Mixed. Orange, yellow, red and rose ball flowers. Ht. 11/2 ft. Pkt. 10c.; 1/4 oz. 35c. Gaillardia, Pinwheel. (New.) Unique, 21/2-in. diam. single

flowers, centered wine-red, shading to cherry-pink with silvery gray-white petal tips. Pkt. 15c.; \(\frac{1}{16}\text{oz.}\) 30c.

Globe Amaranth, Mixed. Clover-like everlasting flowers

in purple-red, orange, pink, white striped violet. Ht. 18 in. Pkt. 10c.; 1/4 oz. 20c.

Gourds, Ornamental, Small, Mixed. Various shapes in interesting combinations of markings. Pkt. 10c.; oz. 35c. Gypsophila elegans, White Covent Garden Market.

Annual Baby's Breath with panicles of white flowers. Ht. 2 ft. Pkt. 10c.; oz. 30c.

Helichrysum monstrosum, Mixed. Strawflowers in a fine

array of colors. Ht. 2½ ft. Pkt. 10c.; ¼oz. 40c.

Kochia trichophylla. Light green, compact, pyramidal bushes which turn red in the fall. Ht. 3 ft. Pkt. 10c.; oz. 20c. Larkspur, Giant Imperial. A magnificent base-branching strain with sturdy upright compact plants, 3 to 4 ft. high. In separate colors: Blue Bell, azure-blue; Blue Spire, deep Oxford blue; Carmine King, deep carmine-rose; Dazzler, scarlet; Exquisite Pink, soft salmon-pink; Exquisite Rose, rose-pink; Gloria, Improved, deep salmon-rose; Lilac Spire, lilac; Los Angeles Improved, brilliant pink on salmon; Miss California, deep rose on salmon; White

King, pure white. Each, pkt. 15c.; ¼oz. 40c. Larkspur, Giant Imperial, Mixed. All colors mixed, each proportioned to its popularity. Pkt. 10c.; 1/4 oz. 30c. Larkspur, Double Stock-flowered, Mixed.

colors, splendid for mixed beds. Pkt. 10c.; ¼oz. 25c. Lupinus Hartwegi, Giant King Hybrids, Mixed. Blue, rose and white spikes. Ht. 3½ ft. Pkt. 10c.; ¼oz. 25c. Marigold, Mammoth Mum. All America 1944. Huge, fluffy

pale sulphur-yellow balls, 4 in. across and 2 in. deep, with countless, finely cut, incurved petals intricately intertwined. Splendid for cutting and border. Pkt. 25c.;  $\frac{1}{16}$ oz. 65c.

Marigold, African Super-Alldouble, Mixed. Huge, double quilled heads held erect on 3-ft. plants. Pkt. 15c.; 1/80z. 30c. Marigold, Dwarf Giant, Pot o'Gold. Golden orange 4-in. flowers, compact 15-in. plants. Pkt. 15c.; ½oz. 25c.

Marigold, Guinea Gold. Double orange flowers, flushed gold; ruffled loose petals. Ht. 2½ ft. Pkt. 10c.; ¼oz. 30c. Marigold, Sunset Giants, Mixed. Huge, loose, full-centered in orange and yellow shades. Ht. 4 ft. Pkt. 15c.; 1/80z. 30c. Marigold, Yellow Supreme. Large, fluffy, creamy lemon; broad, loose frilled petals. Ht. 2½ ft. Pkt. 10c.; ½oz. 30c.

Marigold, Idabelle Firestone. Bright red-mahogany, 2-in. full double flowers. Ht. 3 ft. Pkt. 10c.; ¼oz. 35c. Marigold, Miniature Double, Spry. Compact 9-in. plants with 11/2-in. flowers having yellow crested centers, mahogany

red guard petals. Pkt. 15c.; ½oz. 30c. Marigold, Miniature Double, Yellow Pygmy. Small light yellow 1-in. flowers, 8-in. plants. Pkt. 15c.; ¼oz. 50c. Marigold, Dwarf Double, Butterball. Butter-yellow, 2-in.

crested centers tipped maroon; broad, butter-yellow guard petals. Ht. 6 to 8 in. Early. Pkt. 20c.; ½oz. 30c.

Marigold, Dwarf Double, Harmony. Deep orange, crested center, maroon-brown guard petals. Pkt. 10c.; 1/4 oz. 30c. Marigold, Dwarf Double, Sunkist. Deep golden orange, 2-in. crested blooms with broad guard petals on 6 to 8-in. mounded plants. Early. Pkt. 15c.; 1/4 oz. 50c.

Marigold, Dwarf Double, Harmony Hybrids. Crested centers; broad guard petals in variety. Pkt. 15c.; 1/4 oz. 35c. Marigold, Dwarf Double French, Mixed. The old-fashioned, small flowers in gay colors. Pkt. 10c.; 1/4 oz. 20c.

Marigold, Dwarf Double French, Scarlet Glow. Opens scarlet, ages tangerine. Ht. 10 in. Pkt. 15c.; ½oz. 25c. Marvel of Peru, Four o'Clock, Dwarf Mixed. Many single flowers on 1-ft. glossy bushes. Pkt. 10c.; oz. 40c.

Mignonette, Old-fashioned Sweet-scented. Small, brownish green flower-spikes. Ht. 1 ft. Pkt. 10c.; ½0z. 25c.

Moonflower, Giant White. Rapid-growing climber covered with fragrant 5-in. white flowers. Pkt. 10c.; 1/4 oz. 15c.

Morning-Glory, Cornell. Vigorous vines with large bright carnelian-red flowers edged white. Pkt. 15c.; 1/4 oz. 35c.

Morning-Glory, Heavenly Blue, Early-flowering. Huge clear sky-blue with cream throats. Pkt. 10c.; 1/4 oz. 20c.

Morning-Glory, Pearly Gates. Lovely, Justrous, 4-in. white flowers with cream throats. Pkt. 20c.; ½0z. 30c. Morning-Glory, Scarlett O'Hara. Deep rose-crimson, 4-in.

flowers, freely produced. Pkt. 15c.; ½0z. 25c. Morning-Glory, Dwarf Royal Ensign. Ultramarine-blue flowers with golden throats throughout summer on compact

8-in. plants. Pkt. 15c.; ¼oz. 45c.

Nasturtium, Dwarf Single, Mixed. Both plain and fancy-leaved, on 1-ft. plants. Oz. 20c.; ¼lb. 60c.

Nasturtium, Tall Single, Mixed. Brilliant blooms on plants climbing over 5 feet high. Oz. 20c.; ¼lb. 60c.

Nasturtium, Semi-Double Gem, Mixed. Dwarf, compact, 12-in. plants with flowers in many colors. Oz. 25c.; ¼lb. 75c. Nasturtium, Double Gleam Hybrids, Mixed.

sweet-scented; semi-dwarf bushes. Oz. 25c.; ¼Ib. 75c. Nicotiana affinis. Pure white, fragrant. Flowering Tobacco flowers not unlike petunias. Ht. 3 ft. Pkt. 10c.; ¼oz. 20c. Nicotiana affinis Hybrids. Trumpet flowers like above in pink, red, mauve and white Ht. 3 ft. Pkt. 10c.; ¼oz. 20c.

Nigella, Miss Jekyll. Bushy, 11/2-ft. plants with slender foliage and cornflower-blue flowers. Pkt. 10c.; 1/40z. 35c. Pansy, Engelmann's Giant. Compact, early, with huge flowers in dark and light colorings. Pkt. 25c.; \(\frac{1}{16}\)oz. \$1.15. Pansy, Forbes Big Beauties. Huge, 4 in., round flowers in a

glorious array of rich color combination beautifully blotched, mottled and bordered. Pkt. 25c.; ½ oz. 85c. Petunia, Balcony, Blue. Huge, 3-in., velvety violet-blue;

sprawling plants 18 in. high. Pkt. 15c.; 16oz. 55c.

Petunia, Balcony, Mixed. A blend of crimson-red, violet, cornflower-blue, rose and white. Pkt. 15c.; \(\frac{1}{16}\)oz. 45c. Petunia, Single Dwarf Bedding, Celestial Rose. Rich, deep rose flowers on dwarf plants. Pkt. 15c.; \(\frac{1}{16}\)oz. 35c. Petunia, Single Dwarf Bedding, Cheerful. All America

1944. This new dwarf bedding variety is clear salmon-pink with a satiny sheen and deeper rose veining toward the throat. The 21/2-inch flowers, from May to frost, form dense mounds of color, 12 inches high and 2 feet across. Charming for borders and cutting. Pkt. 25c.; 40z. 65c.

Petunia, Single Dwarf Bedding, Cream Star. Star-shaped, 2½-in. cream flowers with yellow throat. Pkt. 20c.; ½-oz. 50c. Petunia, Single Dwarf Bedding, Topaz Queen. Scarletrose. Dwarf and compact. Colorful. Pkt. 15c.; ½0z. 60c. Petunia, Single Dwarf Bedding, Velvet Ball. Velvety blood-red flowers. 2½ in. across. Pkt. 25c.; 1/128oz. 40c. Petunia, Single Dwarf Bedding, Violacea. Deep violet-blue, on dwarf, uniform plants. Pkt. 15c.; ½ oz. 35c.

Petunia, Single Compact Bedding, Dwarf, Mixed. A very fine mixture of well-balanced colors. Pkt. 10c.; ½oz. 35c. Petunia, Large Single Plain Edged, Snowstorm. Finest pure white, waved edges. Pkt. 20c.; Tr. pkt. 50c.

Phacelia campanularia. Gentian-blue cup flowers with white anthers covering neat, 9-in. plants. Pkt. 10c.; 1/4 oz. 25c. Phlox Drummondi, Gigantea Art Shades, Mixed. Brilliant heads of florets on 9-in. plants. Pkt. 20c.; 1/80z 75c.

Poppy, Double Shirley Hybrids, Mixed. Double and semidouble blooms in endless color. Ht. 2 ft. Pkt. 10c; oz. 50c. Poppy, Single Shirley, Mixed. Large silky-petaled flowers in bright and pastel colors. Ht. 2 ft. Pkt. 10c.; oz. 45c.

Portulaca, Large-flowering, Double, Mixed. Large full-petaled in delicate colors. Ht. 6 in. Pkt. 15c.; \(\frac{1}{16}\text{oz.}\) 45c.

Portulaca, Large-flowering Single, Mixed. Glossy cup flowers, 1 in. across. Ht. 6 in. Pkt. 15c.; \(\frac{1}{16}\) oz. 35c.

Ricinus zanzibarensis, Mixed. Stately. 12 ft. high, with huge lobed leaves, green to purple-red. Pkt. 10c.; oz. 15c. Rudbeckia, Starlight. Semi-double; double, 3-in. Cone-

flowers, primrose to mahogany. Ht. 3 ft. Pkt. 25c.; ½ oz. 65c. Salpiglossis, Candelabra, Mixed. Showy, funnel flowers in many colors. Ht. 21/2 ft. Pkt. 10c.; 1/4 oz. 30c.

Salvia farinacea, Blue Bedder. Spikes of lavender-blue on compact plants. Ht. 3 ft. Pkt. 15c.; 160z. 35c.

Salvia, Bonfire. A fine strain with heavy, bright scarlet spikes on dwarf, bushy, 20-in. plants. Pkt. 20c.; 1/80z. 65c.

#### Forbes Seeds of Annual Flowers, continued

Scabiosa, Imperial Giant, Blue Moon. Large, deep lavender-blue heads. Ht. 3½ ft. Pkt. 15c.; ¼oz. 35c. Scabiosa, Super Giant, Mixed. Double-flowered in many

colors. Ht. 3 ft. Pkt. 15c.; 1/40z. 35c.
Scabiosa, Tom Thumb, Mixed. Medium-sized double on

dwarf 8-in. plants, 12 in. across. Pkt. 10c.; ¼oz. 40c. Snapdragon, Rustproof Super-Giants, Mixed. Long spikes in beautiful colors. Ht. 3 ft. Pkt. 15c.; ½oz. 35c. Snapdragon, Rustproof Half-Dwarf, Mixed. Flower-spikes in soft colors. Ht. 18 in. Pkt. 10c.; ½soz. 60c.

Snapdragon, Tom Thumb, Mixed. Miniature plants, 8 in. high, for rock-gardens and low beds. Pkt. 15c.; ½ oz. 35c. Star of Texas. Single, canary-yellow daisies with long, pointed petals. Ht. 18 in. Pkt. 15c.; ½soz. 40c. Statice sinuata, Mixed. Many-branched 18-in. plants with

flower clusters at each branch end. Pkt. 10c.; oz. 35c.

Stocks, Fine Mixed for Open Ground. A short-flowered strain for outdoor culture. Ht. 1 ft. Pkt. 10c.; 1/4 oz. 45c. Tagetes, Little Orange Giant. Compact, 6-in. plants, covered with single orange flowers. Pkt. 15c.; 1/4 oz. 45c.

Tahoka Daisy. Yellow-centered, lavender-blue daisies on fern-leaved plants, 1½ ft. high. Pkt. 15c.; ½8oz. 35c.
Thunbergia, Black-eyed Susan, Mixed. Showy white, buff, orange and yellow. Rapid climber. Pkt. 10c.; 1/4 oz. 25c. Ursinia anethoides Hybrids. Bushy plants, 1 ft. high and 2 ft. across with orange daisies. Pkt. 10c.; ½ oz. 25c.

Verbena, Large-flowering, Mixed. Dark green, 12-in. plants with brilliant flower heads. Pkt. 10c.; ½oz. 30c.

Wallflower, Double Annual Early Wonder, Mixed. Stem clusters of double flowers from yellow to brown. Ht. 18 in. Pkt. 15c.; ½oz. 30c.

Zinnia, California Giants, Mixed. Huge, 4 to 5-in. flowers in a wide range of colors. Ht. 3 ft. Pkt. 10c.; 1/4 oz. 45c.

Zinnia, Chrysanthemum-flowered, David Burpee, Mixed. Like big Fantasy zinnias. Ht. 3 ft. Pkt. 15c.; ½oz. 30c. Zinnia, Giant Crested, Mixed. Rounded cushion centers, broad guard petals. Ht. 2½ ft. Pkt. 15c.; 1/80z. 35c. Zinnia, Giant Dahlia-flowered, Mixed. Popular, with 4 to

5 in., deep, full flowers. Ht. 3 ft. Pkt. 10c.; 1/4 oz. 45c. Zinnia, Crown o'Gold, Pastel Tints. With two-tone color

effect in pastel shades. Ht. 3 ft. Pkt. 15c.; ¼oz. 35c. Zinnia, Dwarf Double-flowered, Mixed. Bushy, 18-in. plants with fully double, 2-in. flowers. Pkt. 10c.; ¼oz. 35c. Zinnia, Fantasy, Mixed. Rounded, shaggy flowers of medium size with curled, ray-like petals. Ht. 21/2 ft.

Pkt. 10c.; ½oz. 25c.

Zinnia, Lilliput, Mixed. Miniature, deeply globe-shaped flowers on 18-in. compact plants. Pkt. 10c.; 1/4 oz. 35c.

Zinnia, Lilliput Pastel Mixture. Neat compact, 15-in. plants with flowers in pastel tones. Pkt. 10c.; 1/4 oz. 35c. Zinnia, Lilliput, Tom Thumb, Mixed. Plants, 6 in. high, covered with tiny bright flowers. Pkt. 10c.; 1/4 oz. 55c.

Zinnia, Mexican Double, Mixed, Haageana. Compact 10-in. plants with two-colored flowers. Pkt. 10c.; ½ oz. 50c. Zinnia, Red Riding Hood. Small, bright crimson, double flowers on compact 2-ft. plants. Pkt. 10c.; ¼oz. 45c.

#### Seeds of Perennial Flowers

These produce plants which live on from year to year increasing in size and beauty. A few exceptions are the biennials such as Campanula medium, Digitalis, etc., which bloom the second year and then die.

Alyssum saxatile compactum. Clusters of golden yellow on gray-foliaged plants. Ht. 12 in. Pkt. 15c.; 1/4 oz. 30c. Anchusa italica, Dropmore. Gentian-blue flower-spikes,

June to September on 4 to 5-ft. plants. Pkt. 15c.; 1/40z. 25c. Anthemis tinctoria. A profusion of lemon-yellow daisies for cutting all summer. Ht. 2 ft. Pkt. 10c.; 1/4 oz. 25c.

Aquilegia, Long-spurred, Blue Shades. An extra-fine

selection. Ht. 3 to 4 ft. Pkt. 20c.; ½0z. 35c. Aquilega, Long-spurred, Crimson Star. Large crimson flowers with white centers. Ht. 3 ft. Pkt. 25c.;  $\frac{1}{32}$ oz. 65c. Aquilegia, Long-spurred, Mrs. Scott Elliott's Hybrids. A delightful mixture. Ht. 3 ft. Pkt. 20c.; \(\frac{1}{16}\text{oz.}\) 45c.

Arabis alpina, Snowcap. A dense, 6-inch carpet of pure white single flowers in early spring. Pkt. 25c.; \(\frac{1}{16}\) oz. 45c. **Aster alpinus, Goliath.** Soft blue, daisy flowers with yellow

centers in May and June. Ht. 15 in. Pkt. 15c.; ½0z. 50c. Aubrietia, Monarch Mixture. Spreading plants forming a carpet 6 in. deep. Pkt. 25c.; \(\frac{1}{16}\)oz. \$1.

Campanula Medium calycanthema, Mixed. Biennial Cup-and-Saucer. Ht. 2½ ft. Pkt. 15c.; ½0z. 30c. Campanula medium, Single, Mixed. Canterbury Bells in

blue, rose and white. Ht. 2½ ft. Pkt. 10c.; ¼oz. 25c.

Candytuft, Sempervirens. Pure white flower-heads covering the dark green foliage. Ht. 10 in. Pkt. 15c.; ½oz. 65c.

Carnation, Grenadin Half-High Mixed. Double flowers on good stems for cutting. Ht. 20 in. Pkt. 20c.; ½20z. 50c.

Coreopsis, California Sunbeams. Sunny golden yellow cosmos-like single flowers. Ht. 2½ ft. Pkt. 10c.; ½oz. 25c. Coreopsis, Double, Sunburst. Large full-petaled, double golden yellow flowers; 2½-ft. plants. Pkt. 15c.; ¼oz. 25c. Delphinium, Giant Exhibition, Blackmore & Langdon

Hybrids. English strain. Ht. 6 ft. Pkt. 25c.; ½0z. 70c. Delphinium, Gold Medal Hybrids. Large flower-spikes, mostly dark blue. 5-ft. plants. Pkt. 15c.; 1/4 oz. 65c.

Delphinium, Pacific Giant Hybrids, Mixed. Well-formed, tapering spikes. Ht. 6 to 7 ft. Pkt. 50c.;  $\frac{1}{16}$ oz. \$1.20. Dianthus plumarius, Double, Mixed. Fragrant, double and semi-double Pinks. Ht. 18 in. Pkt. 15c.; ½oz. 35c.

Digitalis, Giant Shirley, Mixed. The biennial Foxglove. Tall stately 6-ft. plants. Pkt. 10c.; 1/40z. 45c.

Gaillardia grandiflora, Burgundy. Wine-colored, 2½-in. flowers for cutting. Ht. 2½ ft. Pkt. 20c.; ½oz. 35c. Gaillardia grandiflora, Portola Hybrids. Bronze-red-

scarlet; yellow petal tips. Ht. 2½ ft. Pkt. 10c.; 1/80z. 25c. Gaillardia, Monarch, Mixed. Extra-fine, very large flowers in a range of colors. Ht. 2½ ft. Pkt. 15c.; 1/80z. 25c.

Gypsophila paniculata, Single. Tiny, white, single-flowered Baby's Breath. Ht. 3 ft. Pkt. 10c.; 1/4 oz. 15c. Gypsophila paniculata, Double, Snow White. Double

white form. Ht. 2½ ft. Pkt. 25c.;  $\frac{1}{16}$ oz. 50c. Heuchera sanguinea splendens. Coral-red bell flowers on

12 to 15-in. stems. Ht. 2 ft. Pkt. 15c.; Tr. Pkt. 50c. Hollyhock, Superb Double, Mixed. Showy double flowers

closely set on tall, 7-ft. spikes. Pkt. 15c.; 1/4 oz. 55c. Linum perenne, Blue. Pale blue round single flowers above

feathery foliage. Ht. 1½ ft. Pkt. 10c.; ¼oz. 20c. Lupinus, Russell, Mixed. These are huge well-rounded 3-ft. spikes on 4-ft. plants. Pkt. 15c.; 1/4 oz. 75c.

Platycodon grandiflora, Blue. Deep blue, 3-in. bell-flowers on 20-in. spikes. Ht. 3 ft. Pkt. 15c.; ½0z. 45c.

Poppy, Iceland, Single, Mixed. An array of brilliant colors. Free-flowering plants. Ht. 1½ ft. Pkt. 15c.; ¼oz. 65c.

Poppy, Orientale, Mixed. Enormous, brilliant flowers of surpassing beauty. Ht. 3 ft. Pkt. 15c.; ½80z. 60c. Primula polyanthus, Monarch Mixed. Flower heads in both


strong and soft colors on 9-inch plants. Pkt. 25c.; ½0z. \$1.

Pyrethrum, Double Hybrids, Mixed. Tufted centers like a double China aster. Ht. 2½ ft. Pkt. 25c.; ½ oz. 55c. Scabiosa caucasica, Isaac House Giant Hybrids, Mixed. Single blue shades. Ht. 2½ ft. Pkt. 15c.; 16 oz. 45c. Shasta Daisy, Giant Double. Fluffy, shaggy, white double


flowers. Ht. 3 ft. Pkt. 20c.;  $\frac{1}{32}$ oz. 60c. Shasta Daisy, Single, Alaska. Large 3-in. white daisies with broad petals on 3-ft. plants. Pkt. 15c.; 1/4 oz. 45c.

Sweet William, Double, Mixed. A biennial with flower-heads of double florets. Ht. 18 in. Pkt. 15c.; 1/4 oz. 45c. Sweet William, Dwarf Double, Mixed. Beautiful colors

and dwarf compact plants, 8 in. high. Pkt. 15c.; ½oz. 45c. Tritoma, Perpetual Early-flowering Hybrids. Brilliant tubular spikes in orange shades. Ht. 3 ft. Pkt. 15c.; 16oz. 25c.



Tagetes Little Orange Giant



# Forbes Summer-Flowering Bulbs

During recent years there has been more interest shown in these summer and fall flowers produced from springand early summer-planted bulbs or roots. They are easily grown in any garden soil with assurance of success.

#### Amaryllis

For outdoors, start in pots indoors in a dark place at 50 to 60° temperature for a month and in June plunge in warm sunny

Giant-flowered Hybrids. Trumpet-like blooms on strong stems. The colors range from beautiful markings of rose, red, and crimson on white grounds to scarlet, crimson, bright red, cherry, and maroon self colors. 60c. each; \$6 per doz.

#### Begonias

These are excellent for shady borders, and fine for indoor house plants. For bedding, plant the tubers outdoors late in May, 10 inches apart. They require ample moisture and good drainage. Start tubers indoors in March or April and later transplant outdoors to give earlier bloom.

Single, Tuberous-rooted. Waxy, broad-petaled, single flowers in abundance on ample foliage. Excellent for shade. Crimson, Pink, Scarlet, and Yellow, 40c. ea.; \$4 per doz.

#### Fancy-leaved Caladiums

Gorgeous foliage plants for outdoor bedding in shady or semi-shady positions. Start bulbs in pots, planting one bulb to a 6-inch pot. Use a well-drained sandy loam, water sparingly, and keep at 60° until well started. Then water quite freely. Extra-choice Mixture, 30c. each; \$3 per doz.

#### Canna Roots

Plant dormant roots in any sunny position after May 15, 2 feet apart with the "eye" just above the ground. They are most effective when planted in masses of one variety.

Hungaria. Salmon-pink. Green foliage. Ht. 4 ft. King Humbert. Rich orange-scarlet. Bronze foliage. Ht. 4 ft. King Midas. Canary-yellow flowers. Green foliage. Ht. 4 ft. The President. Bright red flowers. Green foliage. Ht. 4 ft. Wintzer's Colossal. Bright scarlet. Green foliage. Ht. 4 ft.

Largest dormant roots of any of above, 3 for 45c.; \$1.50 per doz.; \$10 per 100

#### Cinnamon Vine

A rapid-growing climber with glossy foliage, and cinnamon-scented, white flowers. Hardy. 15c. each; \$1.50 per doz.

#### Ismene (Peruvian Daffodil)

Bulbs planted outdoors in May will bloom in late July.

Calathina. Clusters of 3 or 4, pearl-white, very fragrant, lily-like flowers. Blooms profusely. Lift bulbs before freezing weather and store. Large bulbs, 45c. each; \$4.50 per doz.

#### Hardy Lilies

These hardy, thrifty flowers like partial shade and appear best when planted in groups against a background of shrubbery. They thrive in well-drained borders and bloom in midsummer.

Regale (The Royal Lily). Funnel-shaped white blooms, shaded pink and streaked brown on the outside; flushed yellow inside. Ht. 5 to 7 ft. Bloom in July. 8 in. deep. 9-10 in. bulbs, 40c. each; \$4 per doz.

Tenuifolium (Coral Lily). Thread-like leaves and clusters of bell-like, recurved, coral-red flowers. Ht. 3 to 4 ft. Bloom in June. 6 in. deep. 20c. each; \$2 per doz.

#### Gladiolus

To get the best effect mass them together in solid beds, plant them in borders, and among shrubbery. With successive planting from April through June, they bloom from July until frost. Plant 4 inches deep and 4 inches apart, in full sunshine.

Bagdad. Midseason. An attractive smoky old-rose deepening toward the edges. \$1.10 per doz.; \$8 per 100.

Beacon. A bright rose-scarlet with a very large cream throatblotch. Very sturdy. \$1.35 per doz.; \$10 per 100.

Commander Koehl. Late. One of the best reds—a brilliant scarlet-blood-red. \$1.35 per doz.; \$10 per 100.

Dr. F. E. Bennett. Huge deep fiery scarlet blooms suffused peach-red. \$1.25 per doz.; \$9 per 100.

Gate of Heaven. Early. The deepest yellow of all, forming large ruffled florets. \$1.25 per doz.; \$9 per 100.

King Arthur. Early. Large ruffled, fluted lavender-pink

penciled with darker markings. \$1.25 per doz.; \$9 per 100. Maid of Orleans. Midseason. Beautiful pure white florets with creamy throats. \$1.25 per doz.; \$9 per 100.

Minuet. Late. Beautiful, clear, light lavender-pink florets on

strong stems. \$1.35 per doz.; \$10 per 100.

Orange Princess. Early. Slightly ruffled pure salmon-orange florets, paler in the throats. \$1.25 per doz.; \$9 per 100.

Peggy Lou. Pink florets with a blue suffusion giving an

opalescent effect. \$1.35 per doz.; \$10 per 100.

Pelegrina. Early. Large florets of fine dark violet-blue on good strong stems. \$1.25 per doz.; \$9 per 100.

Picardy. Midseason. Large delicate apricot-pink florets; somewhat ruffled and wax-like. \$1.25 per doz.; \$9 per 100. Rosa van Lima. Pure light pink with florets well spaced on

strong, straight stems. \$1.35 per doz.; \$10 per 100. Shirley Temple. Ruffled large white florets with cream throat. Finest for exhibition. \$1.35 per doz.; \$10 per 100. Vagabond Prince. Shining reddish brown florets, the lower petals splashed with vermilion. \$1.25 per doz.; \$9 per 100.

#### Forbes Rainbow Gladiolus Mixture

Prepared from largest bulbs of ten named varieties of ten different shades of color. Far superior to ordinary commercial bulb mixtures of unknown color balance. Each 50 bulbs consists of 5 bulbs of each shade, assuring evenly distributed colors.

85c. for 10 bulbs; \$3.85 for 50; \$7.50 per 100; \$70 per 1000

#### Montbretias

Plant April or May, 6 inches apart, 4 inches deep, in groups. Mixed Hybrids. A fine assortment. 95c. per doz.; \$7 per 100.

#### Peonies

Magnificent flower; handsome foliage throughout the season. They last a week or more when cut. Plant them with 2 inches of earth over the buds. We offer 2-year-old clumps with 3 to 5 eyes, in three colors—Double White, Double Pink, and Double Red, at 55c. each; 3 for \$1.50; \$5.50 per doz.

#### Tuberoses

Plant outdoors after May 15, at intervals as late as July. Excelsior, Double Pearl. Spikes 3 feet high, with double waxy camellia-like white flowers of delightful fragrance. Not available.

# Forbes Hardy Perennial Plants (In pots)

The Perennial Plants we offer are of unusually large size, in large pots, with ample soil for strong root development. They are plants produced to succeed in your garden rather than for a conveniently small size for shipping. When you see them in the sales beds at our sales garden on Route 10, Hanover, N. J., you will instantly recognize their superior quality.

We lift the plants, in pots, and place them in your car. Within the hour you can remove the pots and set the plants out in your garden, to continue their growth unchecked. Besides this, our large

plants provide earlier, fuller bloom the first season, without loss.

For equal cost our plants are far superior. Come and make your own selection and take them with you, or send in your order and we will deliver within our delivery area. See page 16.

In column Sun Needed O means full sun, half shade-half sun, full shade	Color	Height	Time of Bloom	Sun Needed	Type soil Preferred	Inches Apart	Uses	Each	3 for	Doz.
ACHILLEA (Milfoil or Yarrow) Millefolium roseum Ptarmica, Boule de Niege Tomentosa	Rose-pink White; double Bright yellow	$1\frac{1}{2}$ -2 ft.	July-Sept. June-Sept. June-July	000	1D 1D 1D	12	Border; cutting Border; cutting Edges; rockery	\$0.40 .40 .40	\$1.00 1.00 1.00	\$3.50 3.50 3.50
ACONITUM (Monkshood) Fisheri Napellus, Spark's Variety	Dark blue Dark blue	2 ft.	SeptOct. July-Aug.	00	4	15	Border specimen Border, woods	.45 .45	1.20 1.20	4.25 4.25
ACTAEA Rubra (Red Baneberry)	White	1½ ft.	April-July	<b>⊚</b> ●	2HLW	12	Rockery; woods	.45	1.20	4.25
ÆTHIONEMA (Persian Candytu Warley Rose	ft) Rose	9 in.	June-July	0	3G	12	Edges; rockery	.55	1.50	5.50
AGROSTEMMA (Mullein Pink) Coronaria (Rose Campion)	Rosy Crimson	2-2½ ft.	June-Aug.	0	1D	18	Borders	.40	1.00	3.50
ALYSSUM Saxatile citrinum	Lemon-yellow		April-May	0	2; 4	8	Edges; rockery		1.35 1.00	4.75 3.50
Saxatile compactum Saxatile, Double ANCHUSA (Alkanet or Bugloss)	Golden yellow Golden yellow		April-May April-May	00	2; 4 2; 4	8 8	Carpeting Rock walls	.40	1.35	
Dropmore Feltham Pride Myosotidiflora	Gentian-blue Bright blue Myosotis-blue		June on June on May	000	2 2 2	18	Borders Border; massing Border; rockery		1.00 1.35 1.20	3.50 4.75 4.25
ANEMONE (Windflower) Hupehensis Japonica, Alice Japonica, Double Rose	Mauve-rose Rose-pink Rose	2-3 ft. 2-3 ft.	Sept.	00	4HS 4HS 4HS	12 12	Border; cutting Border; cutting Border; cutting	.45		4.25 4.25 4.25
Japonica, Queen Charlotte Japonica, September Charm Japonica, Whirlwind	Purple-rose Silvery pink Double; white Single; white	2-3 ft. 2 ft. 2-3 ft. 2-3 ft.	Sept. Sept.	00	4HS 4HS 4HS 4HS	12 12	Border; cutting Border; cutting Border; cutting Border; cutting	.45	1.20	4.25 4.25 4.25 4.25
Japonica, White Pulsatilla (Pasque Flower) ANTHEMIS (Yellow Marguerite)	Rose-lilac	10-12 in.	April-May	0	3G	12	Border; rockery	.45	1.20	4.25
Moonlight (Chamomile) Tinctoria Kelwayi	Pale yellow Bright yellow		June-Oct. June-Oct.	00	2D; 4D 2D; 4D		Border; cutting Border; cutting			3.50 3.00
	Various blues Copper-red	$2\frac{1}{2}$ ft.	May-June May-June	00	2K; 4K 2K; 4K 2K; 4K	18	Border; cutting Border; cutting Border; cutting	.40	1.00	3.50
	Crimson & white Golden yellow Rose shades Pure white	$2\frac{1}{2}$ ft. $2\frac{1}{2}$ ft.	May-June May-July May-June May-June	00	2K; 4K 2K; 4K 2K; 4K 2K; 4K	18 18 18	Border; cutting Border; cutting Border; cutting	.40	1.00 1.00	3.50 3.50
Flabellata nana alba ARABIS (Rock Cress)	Ivory-white	8-10 in.	May-June	00	2K; 4K	12	Border; rockery	.45	1.20	4.25
Alpina, Snowcap Rosabella	Pure white Pure white Rose-pink	6 in.	April-May April-May April-May	000	2 2 2	12	Cuttings; edges Rock walls Border; rockery	.45	1.20	4.25
ARENARIA (Sandwort) Narica Verna cæspitosa	Silvery white Tiny, white	4-6 in. 1-2 in.	May-June May	0	3 3	12 6	Rockery; wall Rockery; walks	.40		3.50 3.00
ARMERIA (Thrift) Large-flowered Hybrids Laucheana	White, rose, pink Rosy red		June-Oct. April-June	00	2; 4 2; 4	12 8	Border; cutting Edges; rockery	.45		
ARTEMISIA (Ghost Plant) Silver King ASCLEPIAS (Butterfly Weed)	Silver mist	$2\frac{1}{2}$ -3 ft.	April-Oct.	0	1; 2	12	Contrast plant	.40	1.00	3.50
Tuberosa	Red-orange	1½-2 ft.	July-Aug.	0	5H	15	Border; cutting	.40	1.00	3.50



Warley Rose

#### Explanation of Column Type Soil Preferred

- 1=Poor sandy or clay soil
- 2=Deep (10 in.) light loam
- 3 =Sandy loam + leaf mould
- 4 = Deep (10 in.) medium loam
- 5 = Heavy loam or clay loam
- A = Acid or sour
- C = Crushed limestone
- D = Dry or ordinary
- G = Gravel or rubble
- H = Humus or peat
- K = Lime or alkaline
- L=Leaf mould
- M = Manure, fertilizer
- P=Poor, no manure
- S = S and y or gritty
- W = Moist or wet



Arenaria narica



Aster Frikarti See page 8

Anemone japonica



Dianthus deltoides. See p. 9



Campanula carpatica




Chrysanthemum maximum Esther Reed

#### Explanation of Column Type Soil Preferred

- 1 = Poor sandy or clay soil
- 2 = Deep (10 in.) light loam
- 3 =Sandy loam + leaf mould
- 4=Deep (10 in.) medium loam
- 5 = Heavy loam or clay loam
- A = Acid or sour
- C = Crushed limestone
- D = Dry or ordinary
- G = Gravel or rubble
- H=Humus or peat
- K = Lime or alkaline
- L=Leaf mould
- M = Manure, fertilizer
- P=Poor, no manure
- S = Sandy or gritty
- W = Moist or wet



Aster, Harrington's Pink



In column Sun Needed O means full sun, Shalf shade-half sun, full shade	Color	Height	Time of Bloom	Sun Needed	Type soil preferred		Uses	Each	3 for	Doz
ASPERULA Odorata (Sweet Woodruff)	White	6-8 in.	May		2H; 4H	8	Ground-cover	\$0.40	\$1.00	\$3.50
ASTER (Michaelmas Daisy) Beechwood Challenger	Crimson-red Rose-pink Pure white Deep blue	2½-3 ft. 3-4 ft. 3-4 ft.	SeptOct. SeptOct. SeptOct. SeptOct.	0000	4 4 4 4	24 24 24 24 24	Border; cutting Border; cutting Border; cutting Border; cutting	.55 .55 .55	1.50 1.50 1.50 1.50	5.50 5.50 5.50 5.50
ASTER Species (Starwort) Alpinus, Goliath Frikarti, Wonder of Staefa Star of Wartburg	Blue-purple Lavender-blue Lilac-blue	2-3 ft.	May-June June-Nov. June-July	000	4 4 4		Edges; rockery Border; cutting Border; cutting	.45 .55 .45	1.20 1.50 1.20	4.25 5.50 4.25
White Gloria	Crimson-red Peach-pink White	2-2½ ft. 2-2½ ft. 2-2½ ft.	June	000	5HW 5HW 5HW	18 18 18	Border; masses Border; masses Border; masses	.65 .65 .65	1.80 1.80 1.80	
AUBRIETIA (Rainbow Rock Cress)  Deltoidea, Eyri  Monarch Mixture	Rosy lilac Pink to purple		April-May April-May	00	2; 4 2; 4		Carpet; edges Wall; rockery	.45 .40	1.20	4.25 3.50
BUDDLEIA (Butterfly Bush) Fascinating Flaming Violet Fortune White Bouquet	Soft pink Imperial purple Pure lilac Pure white	4 ft. 4 ft.	July-Oct. July-Oct. July-Oct. July-Oct.	0000	4 4 4 4	48 48	Accent; cutting Accent; cutting Accent; cutting Accent; cutting	.75 .75 .75 .60	2.00 2.00 2.00 1.65	7.25 7.25 7.25 6.00
Calycanthema, Light Blue. Calycanthema, Pink Calycanthema, White	Lilac-blue	2½-3 ft. 2½-3 ft. 2½-3 ft. 2½-3 ft. 2½-3 ft.	June June	0000	4; 5 4; 5 4; 5 4; 5	18 18	Border; cutting Border; cutting Border; cutting Border; cutting	.35 .35 .35 .35	.90 .90 .90 .90	3.00 3.00 3.00 3.00
	Lilac-blue Rose-pink	2½-3 ft. 2½-3 ft. 2½-3 ft. 2½-3 ft. 2½-3 ft.	June June	0000	4; 5 4; 5 4; 5 4; 5	18	Border; cutting Border; cutting Border; cutting Border; cutting	.35 .35 .35 .35	.90 .90 .90 .90	3.00 3.00 3.00 3.00
Carpatica, Blue (Harebell)	Lavender-blue White Pale blue-violet Lilac & purple Purplish blue Lavender-blue Violet-blue White Light blue	8 in. 3-6 in. 3-4 ft. 4 in. 2½-3 ft. 3 ft. 2-2½ ft.	June-Oct. June-Oct. June June-July June June-July June-July June-Aug. June-Aug.	000000000	4; 5 4; 5 4HC 4; 5 4HC 4; 5 4; 5 4; 5 4HC	9 8 18 8 18 18	Edges; rockery Edges; rockery Rock wall; step Cutting; masses Rockery; wall Border; cutting Border; cutting Border; cutting Rockery; slopes	.45 .50 .40 .45 .40	1.20 1.20 1.35 1.20 1.35 1.00 1.20 1.00	4.25 4.25 4.75 4.25 4.75 3.50 4.25 3.50 3.50
Crimson King King of the Blacks Rose Queen Scarlet King White Queen White Gold CARYOPTERIS (Bluebeard)	Dazzling crimson Black-red Rose-pink Scarlet White Pale yellow	20 in. 20 in. 20 in. 20 in.	June-July June-July June-July June-July June-July June-July	000000	4K 4K 4K 4K 4K 4K	12 12 12 12 12 12 12	Border; cutting Border; cutting Border; cutting Border; cutting Border; cutting Border; cutting	.40 .40 .40 .40 .40 .40	1.00 1.00 1.00 1.00 1.00 1.00	3.50 3.50 3.50 3.50 3.50 3.50
Mastacanthus, Blue Mist CENTAUREA (Cornflower)	Powder-blue	$1\frac{1}{2}$ -2 ft.	AugOct.	0	2	24	Borders	.60	1.65	6.00
Dealbata Montana CERASTIUM (Snow-in-Summer)	Deep pink Violet-blue		June-Aug. June-Sept.	00	1; 2; 4 1; 2; 4	15 18	Border; cutting Border; cutting			
Tomentosum CHEIRANTHUS (Wallflower)	White	6-8 in.	May-June	0	1	12	Edges; rockery	.40	1.00	3.50
Allioni (Siberian Wallflower) CHELONE (Turtle Head)	Fiery orange	1-1½ ft	May-June	0	2	12	Border; rockery	.40	<b>61.00</b>	3.50
Lyoni CHIVES CHRYSANTHEMUM, Species	Purple-red Purple		July-Aug. May-June	00	4M 2; 4	15 8	Border; cutting Herb Garden	.40		
Arcticum, Astrid Leucanthemum, White Swan CHRYSANTHEMUM (Shasta	Shell-pink Double; white		SeptNov. May-June	00	4K 4K	24 18	Border; cutting Border; cutting	.50		
Daisy) Maximum, Alaska Maximum, Esther Reed Maximum, Mount Shasta Maximum, Phyllis Elliott CIMICIFUGA (Snakeroot)	Single; white Double; white Double; white Frilled; white	$\frac{1\frac{1}{2}}{2-2\frac{1}{2}}$ ft	June-Sept. June-Oct. June-Sept. June-Sept.	0000	4K 4K 4K 4K	18 12 15 12	Border; cutting Border; cutting Border; cutting Border; cutting	.55	5 1.50 1.65	5.50 6.00
Racemosa simplex	White	2½ ft	. SeptOct.	0	4HM	15	Border; cutting	g 1.50	4.00	)

Colkeopsis (Trickseed) California Sunbams Double Sunburat Doub	column Sun Needed O means tull ,   half shade-half sun,  full shade	Color	Height	Time of Bloom	Sun Needed	Type soil Preferred	Inches Apart	Uses	Each	3 for	Doz
DELPHINUM (Perennial Larks) Belladmona, Cliveden Beauty Bellamnos, Cliveden	California Sunbeams									\$0.90	\$3.00 3.00
Blackmore & Langdon's Hybrids   Chinenes, Dwarf White   Chinenes, Chinenes, Dwarf White   Chinenes, Chinenes, Dwarf White   Chinenes,	Belladonna, Cliveden Beauty	Turquoise-blue	4 ft.	June&Sept.	00	4SMK	12	Border; cutting	.50	1.35	4.75 4.75
Pacific Giant, Light Blue Pacific Giant, Light Blue Pacific Giant, Light Blue Pacific Giant, White White Pacific Giant, Light Blue Pacific Giant, Violet Viole	Blackmore & Langdon's Hybrids Chinense, Dwarf Blue	Blue to pink Ultramarine	5-6 ft. 2 ft.	June&Sept. July-Aug.	00	4SMK 4SMK	18 12	Border; cutting Border; cutting	.50 .40	1.35 1.00	4.75 3.50
Pecific Giant, White Wretham, Hybrids DIANTHUS barbatus Sweet William, Dark Crimson Sweet William, Parple Beardy Special Company of the Sweet William, Parple Beardy Special Company of the Sweet William, Parple Beardy Special Company of the Special Com	Pacific Giant, Dark Blue Pacific Giant, Light Blue	Dark blue Light blue	5-7 ft. 5-7 ft.	June&Sept. June&Sept.	00	4SMK 4SMK	18 18	Border; cutting Border; cutting	.65 .65	1.80 1.80	3.50 6.50 6.50
DIANTHUS barbatus   Sweet William, Newport Pink   Sweet William, Newport Pink   Sweet William, Purple Beauty   Sweet Will	Pacific Giant, White	White	5-7 ft.	June&Sept.	00	4SMK	18	Border; cutting	.65	1.80	6.50 6.50 6.00
Sweet William, Purple Beauty Sweet William, Search Beauty Sweet William, White Giant Sweet William, White Giant Sweet William, Dwarf Mixed DIANTHUS (Garden Pink) Deltoides, Brilliant Latifolius, Beatrice (Double) Purple Batility Single; white Latifolius, Beatrice (Double) Purple Purple Latifolius, May-June Purple Purple Latifolius, Mrs. Sinkins Purple Purple Latifolius, Mrs. Sinkins Purple Purple Purple Latifolius, Mrs. Sinkins Purple Pur	Sweet William, Dark Crimson	Single; crimson			0				.35		3.00 3.00
DIANTHUS (Garden Pink) Deltoides, Brilliant Latifolius, Beatrice (Double) Latifolius, Beatrice (Double) Color Spice Plumarius, Double Scoticus Plumarius, Double Spring Beauth (Disalmon-pink) Dianterial (Disa	Sweet William, Purple Beauty Sweet William, Scarlet Beauty Sweet William, White Giant	Single; purple Single; scarlet Single; white	$\begin{array}{c c} 1\frac{1}{2} \text{ ft.} \\ 1\frac{1}{2} \text{ ft.} \\ 1\frac{1}{2} \text{ ft.} \\ 1\frac{1}{2} \text{ ft.} \end{array}$	May-June May-June May-June	000	2K 2K 2K	12 12 12	Border; cutting Border; cutting Border; cutting	.35 .35	ot avai .90 .90	
Latifolius, Bismarck (Double) Old Sprice   Plumarius, Double Scoticus   Plumarius, Double Spring Beauty   Various   Plumarius, Mouble Spring Beauty   Various   Plumarius, Mishins   Plumarius, Mis	Deltoides, Brilliant		4-6 in.	May-July	0		10	Edges; rockery	.35		3.00
Plumarius, Double Spring Beauty Plumarius, Highland Hybrids Plumarius, Highland Hybrids Plumarius, Mrs. Sinkins DiCENTRA (Bleeding-Heart)	Latifolius, Bismarck (Double) Old Spice	Deep rose-pink Dbl.salmon-pink	9-12 in. 12 in.	May-Sept. May-Sept.	0	2K 2K	10 15	Border; rockery Border; rockery	.40 .60	1.00 1.65	3.50 3.50 6.00
Exmina   Spectabilis   Deep pink   Pink   2-2½ ft. May-June   O	Plumarius, Double Spring Beauty Plumarius, Highland Hybrids	Various Single; various	12 in. 9-12 in.	May-June May-Sept.	0	2K 2K	10 10	Border; cutting Edges; rockery	.35 .40	.90 1.00	3.00 3.00 3.50 3.50
DICTAMNUS (Gas Plant)   Fraxinella, White	Eximia						12 24	Border; rockery Border specimen			4.75 6.00
Gloxiniæflora, Purple Gloxiniæflora, Ose Gloxiniæflora, White Gloxiniæflora, White Gloxiniæflora, White Gloxiniæflora, Yellow DDECATHEON (Am. Cowslip) Meadia (Shooting Star) DORONICUM (Leopardbane) Clusi Excelsum Fire Oppel Carpet (Corollata Polychroma (epithymoides) GAILLARDIA (Blanket Flower) Burgundy Goblin Portola Hybrids GEUM (Avens) Fire Opal Carpet (Corollata Polychroma (Epithymoides) GGUM (Avens) Fire Opal Carpet (Corollata Rystroma (Part) (Corollata Rystroma (Part)) Gooden (Corollata Rystroma (Part)) Gooden (Corollata Rystroma (Part)) Gooden (Corollata Corollata Polychroma (epithymoides) GGUM (Avens) Fire Opal Carpet (Corollata Rystroma (Part)) Gooden (Corollata Rystroma (Part)) Gooden (Corollata Corollata Rystroma (Part)) Gooden (Corollata Corollata Rystratheden (Corollata Port)) GEUM (Avens) Fire Opal Carpet (Corollata Rystratheden (Corollata R	Fraxinella, White	White	2 ft.	May-June	0	4; 5	12	Border specimen	.55	1.50	5.50
Meadia (Shooting Star) DORONICUM (Leopardbane) Clusi Excelsum ECHINOPS (Globe Thistle) Ritro Ritro Repens (Trailing Arbutus) EPIGAEA Repens (Trailing Arbutus) EPIMEDIUM (Barrenwort) Macranthum niveum ELPHATORIUM (Sourge) Corollata Polychroma (epithymoides) GAILLARDIA (Blanket Flower) Burgundy Goblin Portola Hybrids GEUM (Avens) Fire Opal Lady Stratheden Mire Ritro Steel-blue  Robert (Parlicum)  White  Robert (Parlicum) Repens (Trailing Arbutus) Pale pink A in. April-May A	Gloxiniæflora, Purple Gloxiniæflora, Rose Gloxiniæflora, White Gloxiniæflora, Yellow	Rose-pink Pure white	$3-4$ ft. $2\frac{1}{2}-3$ ft.	June-July June-July	00	$\begin{bmatrix} 2; 4 \\ 2; 4 \end{bmatrix}$	15 15	Border; massing Border; massing	.40 .40	1.00 1.00	3.50 3.50 3.50 3.50
Clusi   Excelsum   Yellow	Meadia (Shooting Star)	White	8-10 in.	May-June	⊚ ●	3A	6	Rockery; woods	.45	1.20	4.25
Ritro EPIGAEA Repens (Trailing Arbutus) EPIMEDIUM (Barrenwort) Macranthum niveum ERYNGIUM (Sea Holly) Amethystinum Coelestinum EUPATORIUM (HardyAgeratum) Coelestinum EUPHORBIA (Spurge) Corollata Polychroma (epithymoides) GAILLARDIA (Blanket Flower) Burgundy Goblin Portola Hybrids GEUM (Avens) Fire Opal Lady Stratheden Mrs. Bradshaw Princess Juliana Rynstroom TXPSOPHILA (Baby's Breath)  Steel-blue  2-3 ft. July-Aug.  4 in. April-May  4 in. April-May  4 in. April-May  4 in. April-May  6 3HW 15 Rockery; woods 3H 9 Carpet; rockery  50 1.35  Border; cutting 45 1.20  2 ft. June-Aug. 0 1D 15 Border; cutting 45 1.20  1-1½ ft. June-Oct. 0 2 18 Border; cutting 35 .90  2 ft. June-Oct. 0 2 12 Border; cutting 35 .90  2 ft. May-Oct. 0 2 12 Border; cutting 35 .90  2 ft. May-Oct. 0 2 12 Border; cutting 35 .90  2 or4HM 12 Border; rockery 50 1.35  Border; cutting 35 .90  2 or4HM 12 Border; rockery 50 1.35  Border; cutting 35 .90  2 or4HM 12 Border; rockery 50 1.35  Border; cutting 35 .90  2 or4HM 12 Border; rockery 50 1.35  Border; rockery 50 1.35  Border; cutting 35 .90  2 or4HM 12 Border; rockery 50 1.35  Border; delleder 50 1.35  Border; delleder 50 1.35  Border; dell	Clusi Excelsum										4.25 4.25
Repens (Trailing Arbutus) EPIMEDIUM (Barrenwort) Macranthum niveum ERYNGIUM (Sea Holly) Amethystinum EUPATORIUM (Hardy Ageratum) Celestinum EUPHORBIA (Spurge) Corollata Polychroma (epithymoides) GAILLARDIA (Blanket Flower) Burgundy Goblin Portola Hybrids GEUM (Avens) Fire Opal Lady Stratheden Mrs. Bradshaw Princess Juliana Rynstroom GYPSOPHILA (Babv's Breath)  Pale pink 4 in. April-May 4 in. April-May  4 in. April-May  4 in. April-May  4 in. April-May  4 in. April-May  4 in. April-May  4 in. April-May  4 in. April-May  6  3HW	Ritro	Steel-blue	2-3 ft.	July-Aug.	00	2; 4	15	Border; dried	.45	1.20	4.25
ERYNGIUM (Sea Holly) Amethystinum  EUPATORIUM (Hardy Ageratum) Cœlestinum  EUPHORBIA (Spurge) Corollata Polychroma (epithymoides) GAILLARDIA (Blanket Flower) Burgundy Goblin Portola Hybrids GEUM (Avens) Fire Opal Lady Stratheden Mrs. Bradshaw Princess Juliana Rynstroom  GYPSOPHILA (Baby's Breath)  Dk. metallic blue 2 ft. July-Aug. 2 ft. July-Aug. 0 2; 4 15 Border specimen .45 1.20  4; 5 18 Border; cutting .40 1.00  0 1D 24 Border; cutting .45 1.20  0 1D 24 Border; cutting .45 1.20  0 2 18 Border; cutting .35 .90  0 2 12 Border; cutting .35 .90  0 2 2 12 Border; cutting .35 .90  0 2 2 12 Border; cutting .35 .90  0 2 2 12 Border; cokery .30 .35 .90  0 2 2 12 Border; rockery .30 .35 .90  0 2 2 12 Border; rockery .30 .35 .35 .35 .35 .35 .36 .35 .36 .36 .37 .38 .38 .39 .39 .39 .39 .30 .30 .30 .30 .30 .30 .30 .30 .30 .30	Repens (Trailing Arbutus)	•		•	⊚ ●	i					4.75
EUPATORIUM (Hardy Ageratum) Cœlestinum EUPHORBIA (Spurge) Corollata Polychroma (epithymoides) GAILLARDIA (Blanket Flower) Burgundy Goblin Portola Hybrids Fire Opal Lady Stratheden Mrs. Bradshaw Princess Juliana Rynstroom GYPSOPHILA (Baby's Breath) Purple-blue  12-14 in. AugOct.  2 ft. June-Aug. 1-1½ ft. June-Oct. 2 ft. June-Oct. 15 in. June-Oct. 2 18 Border; cutting despondence in the properties of the	YNGIUM (Sea Holly)										4.75
Corollata Polychroma (epithymoides) GAILLARDIA (Blanket Flower) Burgundy Goblin Portola Hybrids Fire Opal Lady Stratheden Mrs. Bradshaw Princess Juliana Rynstroom GYPSOPHILA (Baby's Breath)  White Yellow Yellow Wine-red Yellow Yellow Wine-red Yellow Yell	PATORIUM (Hardy Ageratum)			,							4.25 3.50
GAILLARDIA (Blanket Flower) Burgundy Goblin Portola Hybrids Fire Opal Lady Stratheden Mrs. Bradshaw Princess Juliana Rynstroom Rynstroom GYPSOPHILA (Baby's Breath)  Wine-red Yellow & red Reds & yellow Yel	PHORBIA (Spurge) Corollata										4.25 4.25
Portola Hybrids GEUM (Avens) Fire Opal Lady Stratheden Mrs. Bradshaw Princess Juliana Reds &*yellow Orange-scarlet Golden yellow Orange-red Orange-yellow Orange-yellow Copper-orange Orange-yellow Or	ILLARDIA (Blanket Flower) Jurgundy		$2-2\frac{1}{2}$ ft.	June-Oct.		2	18	Border; cutting			3.00 3.00
Lady Stratheden Mrs. Bradshaw Princess Juliana Rynstroom GYPSOPHILA (Baby's Breath)  Golden yellow Orange-red Orange-yellow Copper-orange  2 ft. May-Oct. 2 ft. May-Oct. 2 ft. May-Oct. 2 ft. May-Oct. 3 ft. May-Oct. 2 ft. May-Oct. 3 ft. May-Oct. 4 ft. May-Oct. 5 ft. May-Oct. 6 ft. May-Oct. 7 ft. May-Oct. 8 ft. May-Oct. 9	ortola Hybrids UM (Avens)	Reds & yellow	$2\frac{1}{2}$ ft.	June-Oct.	0	2	12	Border; cutting	.35	.90	3.00
GYPSOPHILA (Baby's Breath)	ady Stratheden Irs. Bradshaw rincess Juliana	Golden yellow Orange-red Orange-yellow	2 ft. 2 ft. 2 ft.	May-Oct. May-Oct. May-Oct.	000	2or4HM 2or4HM 2or4HM	12 12 12	Border; rockery Border; rockery Border; rockery	.50 .50 .50	1.35 1.35 1.35	4.75 4.75 4.75 4.75 4.75
Bristol Fairy Paniculata compacta Rosy Veil  Double; white Single; white Double; pink  Paniculata compacta Single; white Double; pink  Double; white Single; white Double; pink  Double; white Single; white Double; pink  2-3 ft. June-Sept. Cutting; masses Single; white	PSOPHILA (Baby's Breath) ristol Fairy aniculata compacta	Double; white Single; white	2-3 ft. 2-3 ft.	June-Sept. July-Aug.	0	2K; 4K 2K; 4K	36 24	Cutting; masses Cutting; masses	.55 .45	1.50 1.20	5.50 4.25 4.75



Dictamnus fraxinella



Delphinium, Wrexham Hybrids



Helenium, Riverton Gem See p. 10 Hemerocallis (Day-Lilies) See p. 10



Gypsophila, Rosy Veil Dicentra eximia







Linum perenne



Mertensia virginica


Explanation of Column Type Soil Preferred

1=Poor sandy or clay soil 2=Deep (10 in.) light loam 3=Sandy loam + leaf mould 4=Deep (10 in.) medium loam 5=Heavy loam or clay loam



Nierembergia rivularis


Liatris scariosa



A = Acid or sour

C = Crushed limestone D = Dry or ordinary G = Gravel or rubble


Phlox divaricata canadensis See p. 11



			Tr. (	Sun	Type soil	Inches	Uses	Fach	3 for	Doz.	
ln column Sun Needed O means full sun, O half shade-half sun, I full shade	Color	Height	Time of Bloom	Needed	Preferred	Apart	Uses	Lacii			
HELENIUM (Helen's Flower) Pumilum magnificum Riverton Gem	Golden yellow Old-gold		July-Oct. AugOct.	00	2D; 4D 2D; 4D	24 24	Border; cutting Border; cutting	\$0.50 .50	\$1.35 1.35	\$4.75 4.75	
Fireball	Single; orange Double; scarlet		June-July June-Aug.		1 or 2SD 1 or 2SD	10 10	Border; rockery Border; rockery	.40	1.00	3.50 3.50	
HEMEROCALLIS (Day-Lily) Dr. Regel Estmere Flava Hyperion Mikado	Orange-yellow Apricot-yellow Clear yellow Citron-yellow Deep orange	2½ ft. 2½-3 ft. 3½ ft.	May-June May-June May-June July-Aug. June-July	00000	2; 4; 5 2; 4; 5 2; 4; 5 2; 4; 5 2; 4; 5	15 15 15 18 15	Border; cutting Border; cutting Border; cutting Border; cutting Border; cutting	.45 .45 .45 .75 .50	1.20 1.20 1.20 2.00 1.35	4.25 4.25 4.25 7.25 4.75	
HEUCHERA (Coral Bells) Pluie de Feu (Rain of Fire) Rosamundi Sanguinea	Coral-red Coral-pink Crimson	$1\frac{1}{2}$ -2 ft.	June-July June-July June-Sept.	000	2S 2S 2S	12 12 12	Border; rockery Border; rockery Border; rockery	.45 .45 .45	1.20 1.20 1.20	4.25 4.25 4.25	
HIBISCUS (Mallow) Red, Pink and White.	Specify color	4-5 ft.	AugSept.	00	2; 3W	18	Border; masses	.45	1.20	4.25	
IBERIS (Candytuft) Little Gem Sempervirens Snowflake	Pure white Pure white Pure white	6-8 in.	June May-June May-June	000	2; 4; 5 2; 4; 5 2; 4; 5	8 12 12	Edges; rockery Edges; rockery Edges; rockery	.50 .50 .50	1.35 1.35 1.35	4.75 4.75 4.75	
INCARVILLEA (Trumpet Flower) Delavayi	Rose-pink	1½ ft.	June-July	0	2SM	15	Border; cutting	.55	1.50	5.50	
LAVANDULA (True Lavender) Vera	Lavender-blue	1 ft.	July-Aug.	0	2S	12	Herb garden	.45	1.20	4.25	
LIATRIS (Gayfeather) Scariosa, September Glory Scariosa, White Spire Spicata	Lavender-purple Pure white Lavender-purple	5 ft.	AugSept. AugSept. SeptOct.	000	2D; 4D 2D; 4D 2W; 4W	18 18 12	Cutting; masses Cutting; masses Border; cutting	.45	1.20 1.20 1.20	4.25 4.25 4.25	
LILÎUM Candidum (Madonna Lily)	Pure white	4 ft.	June-July	00	4	12	Border; masses	.60	1.65	6.00	
LINUM (Flax) Perenne, Blue	Pale azure-blue	15-18 in.	May-Sept.	00	2; 4	12	Masses; rockery	.35	.90	3.00	
LOBELIA Cardinalis (Cardinal Flower)	Fiery cardinal	$2-2\frac{1}{2}$ ft.	July-Aug.	⊚ ●	4HSW	15	Border; woods	.45	1.20	4.25	
LUPINUS (Lupine) Russell LUCINUS (Compier)	Various	$2\frac{1}{2}$ -3 ft.	June-July	0	2A; 4A	15	Border; cutting	.50	1.35	4.75	
LYCHNIS (Campion) Arkwrighti Hybrids Chalcedonica Viscaria, Double	Red shades Vivid scarlet Rose-crimson	$\frac{1}{3}$ ft.	July-Aug. June-Aug. June	000	2; 4 2; 4 2; 4	18 18 12	Border; cutting Border accent Border; rockery	.35	1.00 .90 1.00	3.00	
MERTENSIA (Bluebell) Virginica (Virginia Cowslip)	Blue to pink	1 ft.	April-May	<b>⊚</b> ●	2HM	12	Woodland	.40	1.00	3.50	
MONARDA (Bee-balm; Bergamot Didyma, Cambridge Scarlet Didyma, Salmon Queen NEPETA (Catmint)	Crimson-scarlet Salmon-pink	$2\frac{1}{2}$ -3 ft. $2\frac{1}{2}$ -3 ft.	June-Aug. June-Aug.	00	2; 4 2; 4	18 18	Border; masses Naturalizing	.45			
Six Hills Giant NIEREMBERGIA (Cup Flower)	Blue-lavender	12-15 in	June-Aug.	0	1; 2; 4	15	Edges; rockery	.40	1.00	3.50	
Rivularis ŒNOTHERA (Evening Primrose)	Creamy white	4-5 in	June-Sept.	00	3W	10	Carpet; rockery	.45	1.20	4.25	
Youngi PACHYSANDRA (Japan Spurge)	Lemon-yellow	2 ft	June-Aug.	0	2D; 4D	18	Masses; cutting	.45	1.20	4.25	;
Terminalis 100 plants for \$18.0 PAPAVER (Oriental Poppy)	OGlossy green		. All year	00	2; 4	12	Carpets; slopes	\$5.00	for 25	5	
Orientale, Beauty of Livermere Orientale, Enchantress Orientale, Jeanne Mawson Orientale, Joyce Orientale, Mrs. Perry Orientale, Scarlet Orientale, Perry's White Orientale, Salmon Glow, Dble. Orientale, Snowflame. White	Lilac-rose Geranium-pink Soft red Orange-apricot Crimson-scarlet Satiny white	3 ft	May-June	000000000	4 4 4 4 4 4 4 4	15 15 15 15 15 15 15 15 15	Border accent Masses; cutting Masses; cutting Border accent Border accent Masses; cutting Border accent Masses; cutting Border accent	3 .50 .50 .50 g50	1.35 1.35 1.35 1.35 1.35 1.35 1.35 1.35	4.75 4.75 4.75 4.75 4.75 4.75 4.75 6.50	55550
PENTSTEMON (Beard Tongue) Garnet	Garnet-red		June-Oct.	0	2; 4	12	Rockery; cuttin				
PHLOX subulata (Moss Pink) Atropurpurea Blue Hill Rose White	Carmine-red Pale blue Rose-pink White	6 ir 6 ir	a. April-May April-May April-May April-May	000	2SGD 2SGD 2SGD 2SGD	15 15 15 15	Carpet; rocker Carpet; rocker Carpet; rocker Carpet; rocker	y .40 y .40 y .40	0 1.00 0 1.00 0 1.00	0 3.50 0 3.50 0 3.50	0 0 0 0 0
								.,			

Simple   Sall shade   Delicate   Sall shade   Sall shade   Delicate   Sall shade   Delicate   Sall shade								1			
Divaricate canadensis   \$30   Lavender-blue   Sim May-Junc   \$4   12   \$6   \$6   12   \$4   \$1   \$1   \$1   \$1   \$1   \$1   \$1	In column Sun Needed O means full sun, O half shade-half sun, o full shade	Color	Height	Time of Bloom				Uses	Each	3 for	Doz.
Setzeen Camia   Sin   Pure pink   Sin   May-June   Sin			40.				4.0		00.45	<b>#</b> 4 20	(h.4. O.F.
Augustas Intense Drillant cherry-ted Rughts Intense Drillant cherry-ted Charles Curtis (Illiam maramth-purple Charles Curtis (Illiam maramth-purp								Carpet; rockery	\$0.45	\$1.20	\$4.25 4.25
B. Comte   Brilliant amarant-prople   Charles Curtis   Brilliant sunset red   Charles Curtis   Srilliant sunset red   Commission   Charles   Ch	PHLOX decussata (Hardy Phlox)					7		Luging, rockery			
Cheerfuluse Salmon-pois, faint blue eye Columbia Salmon-pois, faint blue eye Columbia Cammon-pois, faint blue eye Columbia Cammon-pois, faint blue eye Carmin-red, blood-red eye Julies Sandeau Brilliant wateruscho-pink. Leo Schlager Charmon-pois, faint blue eye Carmin-red, blood-red eye Julies Sandeau Brilliant wateruscho-pink. Leo Schlager Charmon-pink, red eye Salmon Beautif Salmon-pink, red eye Salmon Beauty Rich salmon-pink, red eye Salmon Beauty Rich salmon-pink, white Party Physiology Charmon Beautif Salmon-pink, white Physiology Charmon Beautif Salmon Flower) Grandifloro, Blue Mariesi Maine Physiology Charmon Beautif Salmon Flower) Grandifloro, Blue Mariesi Maine Physiology Charmon Beautif Salmon Flower) Grandifloro, Blue Mariesi Maine Physiology Charmon Beautif Salmon Flower) Grandifloro, Blue Mariesi Maine Physiology Charmon Beautif Salmon Flower) Grandifloro, Blue Pacil Bulp Pearl Richardsoni caruleum Reptans Physiology Charmon Beautif Salmon Flower) Grandifloro, Blue Pacil Bulp Pearl Richardsoni caruleum Reptans Physiology Charmon Physiolog		t cherry-red	2½ ft.	July-Sept.							
Cheerfulness   Columbia   Camosprange, crimson eye   Camosprange, kinnt blue   Camosprange, ki	Charles Curtis Brilliant sunset	red	2-2½ ft.	July-Sept.							
Enchantess   Friedal   Salmon-pink, dark eye   Carminr-evel, blood-red   Carminr-evel, blood-red eye   Carminr-evel, blood-red   Car	Cheerfulness Salmon-orange,	crimson eye	$ 2\frac{1}{2}-3 $ ft.	July-Sept.	00	4	10	Border; cutting	.55	1.50	5.50
Firetail   Carmine-red, blood-red eve   Jules Sandeau   Brillant watermedio-pink   Leo Schlageter   Wird scarlet, orange shen   Clistening pure snow-with   Str. July   Sept.   Clistening pure snow-with   Str. July   Sept.   Clistening pure snow-with		int blue eye pink dark eye	2-2½ It. 2½-3 ft	July-Sept.							
Leo Schlageter   Leo	Firetail Carmine-red. b	lood-red eve	$ 2-2\frac{1}{2} $ ft.	July-Sept.		4	10	Border; cutting	.55	1.50	5.50
Mary Louise   Mars Langer   Pure white (Sulfrutcose eye   Refervoller, (Sulfrutcose eye   Russeller, (Sulfrutcose e	Leo Schlageter Vivid scarlet o	melon-pink range sheen	2 ft.	July-Sept.				Border; cutting			
Miss Lingard   Pure white (Sulfraticosa)   Rheinlander   Beautrific salmon-pink, white eve   Wider   Sulfrations   Sulfration   Sulf	Mary Louise Glistening pure	e snow-white	2-2½ ft.	July-Sept.			10				5.50
Salmon Beauty Rich salmon-pink, white eye Widar Rel-voider, clear white eye PHYSOSTEGIA (False Dragonhead)   Virginica, Vivid Wirginica, Vi			2 ft.	June-Sept.							
Widar   Red-violet, clear white eye   PHYSOSTEGIA (False Dragonhead)   Virginica, Vivid   Mauve-pink   Mau	Salmon Beauty Rich salmon-pi	nk, white eye	$2-\frac{27}{2}$ ft.	July-Sept.				Border; cutting			
Virginica, Vivide   Virginica, Vivide   Capter   Capte	Widar Red-violet, clea	r white eye	$2-2\frac{1}{2}$ ft.	July-Sept.							4.25
PLATYCODON (Balloon Flower)   Grandiffora, Blue   Mariesi   Mariesi   Wielet-blue   Violet-blue	Virginica Vivid		11/2f+	A C		2.4	12	D	40	1.00	2.50
Grandiffora, Blue   Mariesi   Violet-blue   11 ft. July-Oct.   0   25; 48   15   Border; rockery   50   1.35   4.75			1 1/2-2 11.	AugSept.	00	2;4	12	Border; cutting	.40	1.00	3.90
Mariesi, White   PlumBaGO (Leadwort)   Larpentse   Cobalt-blue   Cobal	Grandiflora, Blue	Violet-blue			0						
DLUBBAGO (Leadwort)   Larpentæ   POLEMONIUM (Jacob's Ladder)   Baby blue   Sky-blue											
Cobalt-blue   Cobalt-blue   Cobalt-blue   Saby blue		T die winte	1 10.	July-Oct.		25, 45	1)	Border, rockery	.50	1.37	4.73
Blue Pearl Richardsonic œruleum Reptans   PoltyANTHUS (Bunch Primrose)   Monarch, Mixed   Porcelain-blue	Larpentæ		10-12 in.	July-Oct.	00	1; 2; 4	18	Edges; rockery	.40	1.00	3.50
Richardsoni cæruleum Reptans   Reptans   PoltyAntthus (Bunch Primrose)   Monarch, Mixed   Porcelain-blue   Various   PoltyAntthus (Cinquefoil)   Warrons   PRIMULA (Crimrose)   Auricula alpina   Japonica   Various   Pulty   Pult	POLEMONIUM (Jacob's Ladder)		1 0	A 7 3.6		4	1.0	D I I	70	1.25	4.75
Potestans   Pot			1-1½ ft.	Aprii-May Lune-Luly							
Monarch, Mixed   POTENTILLA (Cinquefoil)   Warrensi   PRIMULA (Primrose)   Auricula alpina   Japonica   Various   Glossy yellow   Pully   Various   Glossy yellow   Pully   Various   Glossy yellow   Various   Glossy yellow   Various	~	1	6-8 in.	April-May		4		Rockery; woods			
POTENTILLA (Cinquefoil)   Warrensi   PRIMULA (Primrose)   Auricula alpina   Japonica   Various			0 :	A T.M.		ACHMAN	0	D. J J	40	1.00	2.50
Warrensi   PRIMULA (Primrose)   Auricula alpina   Japonica   Vulgaris (English Primrose)   PullMONARIA (Lungwort)   Angustifolia azurea   PYRETHRUM (Painted Daisy)   Hybrids, Single   Hybrids, Single   Hybrids, Single   Dark blood-red   Dark	·	various	9 m.	Aprii-May	0	45HWW	0	Rockery; woods	.40	1.00	3.50
Auricufa alpina   Japonica   Various   Vario	Warrensi	Glossy yellow	2 ft.	May-Aug.	0	4; 5	12	Border; cutting	.40	1.00	3.50
Japonica		Various	6-8 in	April May		ASHMW	12	Rockery: woods	50	1 35	4.75
Vulgaris (English Primrose)   Pulching NaRIA (Lungwort)   Angustifolia azurea   PyRETHRUM (Painted Daisy)   Hybrids, Single   Hybrids, Single   Hybrids, Single   Hybrids, Double and Single   James Kelway. Single.   Pink, red, white   Pink, wall   Pink, red, white   Pink, wall   Pink, red, white   Pink, wall   Pink, wall   Pink   Pink, small   Pink	Japonica	Various	$1\frac{1}{2}$ ft.	June-July	0	4SHMW	12	Border; rockery	.50	1.35	4.75
Angustifolia azurea   PYRETHRUM (Painted Daisy)   Hybrids, Single   Hybrids, Singl		Pale yellow	6-8 in.	April-May		4SHMW	12	Rockery; woods	.50	1.35	4.75
Hybrids, Single Hybrids, Double and Single James Kelway. Single.  ROSA (Alpine Rose) Rouletti (Miniature) RUDBECKIA (Coneflower) Purpurea The King White Lustre SAGE (Garden Sage) SALVIA (Sage) Pitcheri Pratensis SANTOLINA (Lavender Cotton) Chamæcyparissus (incana) Viridis SAPONARIA (Soapwort) Ocymoides splendens SAYIFRAGA (Rockfoil) Megasea cordifolia SCABIOSA (Pincushion Flower) Caucasica, Hasae House Hybrids Caucasica, White SEDUM (Stonecrop) Acre minus Album muralis Glaucum Clause Rose pinkle with telestars Spectabile, Brilliant  Hynr, red, white 2-2½ ft. May-June C-2½ ft. May-June C-2¼ ft. May-	Angustifolia azurea	Sky-blue	1 ft.	April-May	0	2W	10	Carpet; woods	.40	1.00	3.50
Hybrids, Double and Single James Kelway, Single.   Dark blood-red   Dark blood-red   Cavity   Cavit		Dink rad white	2 21/ f+	Mars Inna		2. 4	1.2	Dandan auttina	40	1.00	2 50
Age   Border; cutting   Age   Age   Border; cutting   Age   Age   Border; cutting   Age		Pink, red, white	$\frac{2-2\frac{7}{2}}{2-2\frac{1}{2}}$ ft.	May-June	-						
Rose-pink   Rose-pink   Rose-pink   Rose-pink   Rose-pink   Rose-pink   Red-purple   Crimson-red   Purpurea   The King   White Lustre   Purpurea   SAGE (Garden Sage)   Purple   The King   SALVIA (Sage)   Purple   Tratensis   SANTOLINA (Lavender Cotton   Chamæeyparissus (incana)   Viridis   SAPONARIA (Soapwort)   Ocymoides splendens   SAXIFRAGA (Rockfoil)   Megasea cordifolia   SCABIOSA (Pincushion Flower)   Caucasica, Isaac House Hybrids Caucasica, White   SEDUM (Stonecrop)   Acre minus   Album muralis   Glaucum   Claumescape   Pinkish white   Carage-pillow   Pinkish white   Carage-pillow   Pink; small   Rose-pink   Spectabile, Brilliant   Rose-prink   Rose		Dark blood-red	$2-2\frac{1}{2}$ ft.	May-June	0	2; 4	12	Border; cutting	.45	1.20	4.25
RUDBECKIA (Coneflower)		Rose-pink	6-8 in.	June-Oct.	00	4	12	Edges; rockery	No	t avail	lable
The King White Lustre SAGE (Garden Sage) SALVIA (Sage) Pitcheri Pratensis SANTOLINA (Lavender Cotton) Chamæcyparissus (incana) Viridis SAYIFRAGA (Rockfoil) Megasea cordifolia SCABIOSA (Pincushion Flower) Caucasica, Isaac House Hybrids Caucasica, Jaac House Hybrids Salvan (Stonecrop) Acre minus Album muralis Glaucum Sieboldi SAGE (Garden Sage) Purple    3 ft. July-Sept.   0		Dad aumla				1.2 - 4D			45	1.20	4.25
White Lustre   SAGE (Garden Sage)   SALVIA (Sage)   Pitcheri   Pratensis   SATOLINA (Lavender Cotton)   Chamæcyparissus (incana)   Viridis   SAPONARIA (Soapwort)   Ocymoides splendens   SAXIFRAGA (Rockfoil)   Megasea cordifolia   SCABIOSA (Pincushion Flower)   Caucasica, Isaac House Hybrids   Caucasica, White   SEDUM (Stonecrop)   Acre minus   Album muralis   SEDUM (Stonecrop)   Album muralis   Sieboldi   Spectabile, Brilliant   Spectabile, Brilliant   Rose-primson   1½-2 ft.   May-Sept.   O											
SALVIA (Sage)	White Lustre		3 ft.	July-Sept.	00	1,2,or4D	15	Border; cutting		1.80	
Pitcheri Pratensis         Gentian-blue Lilac-blue         3-4 ft. June-Sept.         Q 2; 4         24 box 2; 4         Border; masses Border; mas		Purple	$1\frac{1}{2}$ it.	Aug.	0	2; 4	12	Herb garden	.40	1.00	3.50
SANTOLINA (Lavender Cotton) Chamæcyparissus (incana) Viridis SAPONARIA (Soapwort) Ocymoides splendens SAXIFRAGA (Rockfoil) Megasea cordifolia SCABIOSA (Pincushion Flower) Caucasica, Isaac House Hybrids Caucasica, White SEDUM (Stonecrop) Acre minus Album muralis Glaucum Album muralis Glaucum Kamtschaticum Sieboldi Spectabile, Brilliant  Yellow buttons White  1-1½ ft. 1 ft. 3 June July O 2; 4 10 Edges; rockery Ab 1.20 4.25  Ab 1.20 4.25  Lages; rockery Ab 1.20 April-May O 2; 4 15 Border; cutting Border; cutting Border; cutting Carpet; rockery Ab 1.20 Ab 1	Pitcheri				_						
Chamæcyparissus (incana) Viridis  SAPONARIA (Soapwort) Ocymoides splendens SAXIFRAGA (Rockfoil) Megasea cordifolia SCABIOSA (Pincushion Flower) Caucasica, Isaac House Hybrids SEDUM (Stonecrop) Acre minus Album muralis Glaucum Album muralis Glaucum Sieboldi Spectabile, Brilliant  Yellow buttons White  1-1-½ ft. June 1 ft. July O 2P; 4P 2 or 4DP 10 Edges; rockery A5 1.20 4.25  Lages; rockery A6 in. May-July O 2; 4 IO Edges; rockery A5 1.20 4.25  Lages; rockery A5 1.20 4.25  April-May O 2; 4 ID Edges; rockery A5 1.20 4.25  At 1.20 4.25  At 1.20 4.25  Carpet; rockery A5 1.20 4.25  At 1.2		Lilac-blue	2 ft.	June-Sept.	0	2;4	15	border; masses	.35	.90	3.00
SAPONARIA (Soapwort)         Ocymoides splendens         Rosy pink         6 in. May-July         0         2; 4         10         Edges; rockery         .40         1.00         3.50           SAXIFRAGA (Rockfoil)         Megasea cordifolia         Rose-pink         15-18 in. April-May         0 ⊚         4C         10         Edges; rockery         .45         1.20         4.25           SCABIOSA (Pincushion Flower)         Blue shades         1½-2 ft.         June-Sept.         0         2; 4         15         Border; cutting         .50         1.35         4.75           Caucasica, Isaac House Hybrids         White         1½-2 ft.         June-Sept.         0         2; 4         15         Border; cutting         .50         1.35         4.75           SEDUM (Stonecrop)         Bright yellow         2 in. May         0         2G; 4G         12         Carpet; rockery         .35         .90         3.00           Album muralis         Tiny white         2 in. May         0         2G; 4G         2         2G; 4G         8         Edges; rockery         .35         .90         3.00           Glaucum         Pinkish white         0         2G; 4G         12         2G; 4G         12         2G; 4G         8         Wa	Chamæcyparissus (incana)										
Ocymoides splendens SAXIFRAGA (Rockfoil) Megasea cordifolia SCABIOSA (Pincushion Flower) Caucasica, Isaac House Hybrids Caucasica, White SEDUM (Stonecrop) Acre minus Album muralis Glaucum Claucum Cl		White	l it.	July	0	2 or 4DP	10	Edges; rockery	.45	1.20	4.25
Megasea cordifolia SCABIOSA (Pincushion Flower) Caucasica, Isaac House Hybrids Caucasica, WhiteRose-pink15-18 in.April-MayO ⊚4C10Edges; rockery.451.204.25Caucasica, Isaac House Hybrids Caucasica, WhiteBlue shades White1½-2 ft.June-Sept.O 2; 415Border; cutting Border; cutting.501.354.75SEDUM (Stonecrop) Acre minus Album muralis Glaucum Glaucum Kamtschaticum Sieboldi Spectabile, BrilliantBright yellow Tiny white Pinkish white Orange-yellow Pink; small Rose-crimson2 in.May 	Ocymoides splendens	Rosy pink	6 in.	May-July	0	2;4	10	Edges; rockery	.40	1.00	3.50
SCABIOSA (Pincushion Flower)         Caucasica, Isaac House Hybrids         Blue shades         1½-2 ft.         June-Sept.         O         2; 4         15         Border; cutting         .50         1.35         4.75           SEDUM (Stonecrop)         Acre minus         Bright yellow         2 in.         May         O         2G; 4G         12         Carpet; rockery         .50         1.35         4.75           Album muralis         Tiny white         3-4 in.         May-June         O         2G; 4G         8         Edges; rockery         .35         .90         3.00           Glaucum         Pinkish white         2 in.         May-June         O         2G; 4G         12         Edges; rockery         .45         1.20         4.25           Kamtschaticum         Pink; small         AugSept.         O         2G; 4G         8         Walls; rockery         .40         1.00         3.50           Spectabile, Brilliant         Rose-crimson         1½-2 ft.         AugSept.         O         2G; 4GD         15         Border; cutting         .50         1.35         4.75           Label of the complex of the c		Rose-pink	15-18 in	April-May	0.0	4C.	10	Edges: rockery	45	1.20	4 25
Caucasica, White         White         1½-2 ft. June-Sept.         O         2; 4         15         Border; cutting         .50         1.35         4.75           SEDUM (Stonecrop)         Bright yellow         2 in. May         O         2G; 4G         12         Carpet; rockery         .35         .90         3.00           Album muralis         Tiny white         2 in. May-June         O         2G; 4G         8         Edges; rockery         .35         .90         3.00           Glaucum         Pinkish white         2 in. June-July         O         2G; 4G         12         Edges; rockery         .45         1.20         4.25           Kamtschaticum         Pink; small         6 in. June-July         O         2G; 4G         8         Walls; rockery         .40         1.00         3.50           Spectabile, Brilliant         Rose-crimson         1½-2 ft. AugSept.         O ©         2G; 4GD         15         Border; cutting         .50         1.35         4.75	SCABIOSA (Pincushion Flower)										
SEDUM (Stonecrop)         Bright yellow         2 in. May         2 in. May-June         3 in. June-July         2 in. June-July         3 in. June-July		Blue shades White									
Acre minus         Bright yellow         2 in. May         O         2G; 4G         12         Carpet; rockery         .35         .90         3.00           Album muralis         Tiny white         3-4 in. May-June         O         2G; 4G         8         Edges; rockery         .35         .90         3.00           Glaucum         Pinkish white         2 in. June-July         O         2G; 4G         12         Edges; rockery         .45         1.20         4.25           Kamtschaticum         Pink; small         6 in. AugSept.         O         2G; 4G         8         Walls; rockery         .40         1.00         3.50           Spectabile, Brilliant         Rose-crimson         1½-2 ft. AugSept.         O         2G; 4G         8         Walls; rockery         .40         1.00         3.50			· -	_						1.39	
Glaucum         Pinkish white         2 in. June-July         O         2G; 4G         12         Edges; rockery         .45         1.20         4.25           Kamtschaticum         Orange-yellow         6-8 in. June-July         O         2G; 4G         8         Walls; rockery         .40         1.00         3.50           Sieboldi         Pink; small         Rose-crimson         AugSept.         O         2G; 4G         8         Walls; rockery         .40         1.00         3.50           Spectabile, Brilliant         Rose-crimson         1½-2 ft.         AugSept.         O         2G; 4GD         15         Borders         .45         1.20         4.25	Acre minus										
Kamtschaticum         Orange-yellow         6-8 in. June-July         O 2G; 4G         8 Walls; rockery         .40 1.00 3.50           Sieboldi         Spectabile, Brilliant         Pink; small Rose-crimson         AugSept.         O 2G; 4G         8 Walls; rockery         .40 1.00 3.50           Spectabile, Brilliant         Borders         .45 1.20 4.25		Pinkish white									
Spectabile, Brilliant Rose-crimson 1½-2 ft. AugSept. O	Kamtschaticum	Orange-yellow	6-8 in.	June-July	0	2G; 4G	8	Walls; rockery	.40	1.00	3.50
	Sieboldi Spectabile Brilliant										
	Spurium, Dragon's Blood										







Primula vulgaris




Sidalcea, Rosy Gem. See page 12

Rosa Rouletti






Trollius, Orange Globe



Veronica longifolia subsessilis








24 150	
Thymus Serpyllum	
← Tiarella cordifolia	

							1			
In column Sun Needed O means full sun, O half shade-half sun, o full shade	Color	Height	Time of Bloom	Sun Needed	Type soil Preferred	Inches Apart	Uses	Each	3 for	Doz.
SEMPERVIVUM (Houseleek) Arachnoideum fimbriatum Tectorum	Cobweb rosette Light red	2 in. 1 ft.	June-July	00	2SKD 2SKD	8 6	Walls; rockery Walls; rockery	\$0.35 .35	\$0.90	\$3.00 3.00
SHORTIA Galacifolia	White	6 in.	April-May	⊚ ●	3HW	12	Carpet; rockery	.55	1.50	5.50
SIDALCEA (Greek Mallow) Malvæflora, Rosy Gem	Bright rose	$2\frac{1}{2}$ -3 ft.	June-July	0	2; 4	18	Border	.40	1.00	3.50
SILENE (Catchfly; Campion) Alpestris (Alpine Catchfly)	White		May-June June-Aug.	0	2SD 2SD	8	Edges; rockery Walls; rockery	.40 .45	1.00 1.20	3.50 4.25
Maritima SPEARMINT (Mentha spicata)	White Green leaves	2-3 In. 2 ft.	June-Aug.	00	1; 2; 4	12	Herb garden	.40	1.00	3.50
SPIRÆA (Meadowsweet) Filipendula (Dropwort)	Cream-white		June-July	00	2; 4	12	Border; cutting	.40	1.00	3.50
STATICE (Sea Lavender) Latifolia	Purple-blue	$1\frac{1}{2}$ -2 ft.	July-Aug.	0	3	24	Border; cutting	.40	1.00	3.50
STOKESIA (Cornflower Aster) Cyanea, Blue	Lavender-blue	1-1½ ft.	July-Sept.	0	2S; 4S	18	Border; cutting	.35	.90	3.00
TARRAGON True French	Green leaves	2 ft.		00	1; 2	12	Herb garden	.40	1.00	3.50
TEUCRIUM (Germander) Chamædrys \$25 per 100	Red-purple	1 ft.	June-July	00	4SG	6.0	Green edging	.40	1.00	3.50
THALICTRUM (Meadow Rue) Adiantifolium Aquilegifolium	White Rosy purple		June June-July	00	2HM 2HM	12 12	Border; cutting Border; cutting	.45 .45	1.20 1.20	4.25 4.25
THERMOPSIS (Carolina Lupine)  Caroliniana	Yellow	2 ft.	June-Juty	000	2; 4	12	Border	.45	1.20	4.25
THYMUS (Thyme) Lanuginosus (Woolly-leaved) Serpyllum coccineum Serpyllum, White Vulgaris (Common Thyme)	Rosy lilac Purple-red White carpet Lilac-purple	3 in. 3 in.	June-July June-July June-July May-June	ŏ	2SD; 3D 2SD; 3D 2SD; 3D 2SD; 3D		Carpet; rockery Carpet; rockery Edges; rockery Edges; herb	.40 .40 .40 .40	1.00 1.00 1.00 1.00	3.50 3.50 3.50 3.50
TIARELLA Cordifolia (Foam Flower)	Cream-white	1 ft.	May	<b>©</b> •	2HW	12	Woods; masses	.40	1.00	3.50
TRILLIUM (Wake Robin) Grandiflorum	White to pink	12-15 in.	April-June	<b>o</b> •	занмш	12	Rockery; woods	.40	1.00	3.50
TRITOMA (Red-Hot Poker) Pfitzeri, Perry's Hybrids Golden Sceptre Primrose Beauty Springtime	Red, orange Saffron-yellow Primrose yellow Ivory-yellow tip- ped coral-red	$\frac{3 \text{ ft.}}{2\frac{1}{2} \text{ ft.}}$	AugOct. June-July June-July June-July	0000	2SD 2SD 2SD 2SD	12 12 12 12	Border; cutting Border; cutting Border; cutting Border; cutting	.50 .65 .65 .65	1.35 1.80 1.80 1.80	4.75 6.50 6.50 6.50
TROLLIUS (Globe Flower) Europæus, Orange Globe Europæus, Mixed Ledebouri TUNICA (Coat Flower)	Orange-yellow Orange & yellow Deep orange	1-2 ft.	May-June May-June June-July	000	5HMW 5HMW 5HMW		Border; masses Borders Border; cutting	.50 .50 .50	1.35 1.35 1.35	4.75 4.75 4.75
Saxifraga VERONICA (Speedwell)	Bright pink	6 in.	June-Sept.	0	2SGD	8	Walls; rockery	.40	1.00	3.50
Amethystina, Royal Blue Longifolia subsessilis Rupestris nana Rupestris Rose Spicata, Blue Spires	Dk. gentian blue Purple-blue Bright blue Mauve-pink Deep blue	2 ft. 2-3 in. 3-4 in. 2 ft.	July-Sept. June June June-July	0000	4 4 2S 2S 2S 4	18 8 8 15	Border; rockery Border; cutting Carpet; rockery Carpet; rockery Border; cutting	.45 .40 .40	1.00 1.20 1.00 1.00 1.20	3.50 4.25 3.50 3.50 4.25
VIOLA cornuta (Tufted Pansy)	(The Viola pla									
Avalanche Bizarre Blue Butterfly Chantreyland Jersey Gem Lutea splendens Papilio, Purple White Perfection VIOLET  25 for \$3.50	Purple, apricot White, mid-blue Pure apricot Rich violet Sulphur-yellow Violet-purple Pure white	6-8 in. 6-8 in. 6-8 in. 6-8 in. 6-8 in. 6-8 in. 6-8 in.	May-Oct.	000000000	4 4 4 4 4 4 4 4 4	8 8 8 8 8 8 8	Edges; rockery Edges; rockery Edges; rockery Edges; rockery Edges; rockery Edges; rockery Edges; rockery Edges; rockery Edges; rockery	.25 .25 .25 .25 .25 .25 .25 .25	.60 .60 .90 .60	2.10 2.10
Frey's Fragrant YUCCA (Adam's Needle)	Single, violet		April-May	<b>•</b>		8	Woods; rockery			
Filamentosa	Creamy white	) it.	July-Aug.	0	11; 2; 4D	36	Border accent	.45	1.20	4.25

Remember, the Perennials offered in this list are strong plants, well rooted in large pots of soil



# Forbes Flat-grown Plants

For those who haven't the time or facilities to grow their own plants from seed started early indoors, we offer the following varieties. These we have grown from our own high-quality seed strains and they will give excellent results in your garden.

#### **Annual Flower Plants**

These are ready after May 1. There are about 48 plants in a flat of Ageratums, Dahlias, Salvia and Fringed Petunias; about 60 Carnations and Bedding Petunias and about 70 in each flat of the other kinds.

,				_	
D	oz.	Flat.		Doz.	Flat
Ageratum, Dwarf Blue\$0	0.60	\$1.85	Petunia, Dwarf, Snow Queen\$	0.45	\$1.85
	.45	1.85	Petunia, Dwarf, Violacea	.45	1.85
Alyssum, Violet Queen	.45	1.85	Petunia, Dwarf Bedding Mixed	.45	1.85
A WYTEN A WE VE THE T	.45	1.85	Petunia, Lgfld., Dwarf Elk's Pride.	.60	1.85
	.60	1.85	Petunia, Lgfld., Snowstorm	.60	1.85
Cosmos, Dwarf Early-flowering Mixed	.45	1.85	Petunia, Dwarf Giants of California		
Dahlia, Unwin's XXX Dwarf Hy-			Mixed	.60	1.85
brids Mixed	.60	1.85	Phlox, Giant Art Shades Mixed	.45	1.85
Lobelia, Dwarf Deep Blue	.45	1.85	Portulaca, Single Mixed	.45	1.85
Marigold, Miniature, Spry	.45	1.85	Salpiglossis, Candelabra Mixed	.45	1.85
Marigold, Dwarf French, Scarlet			Salvia splendens (Scarlet Sage)	.60	1.85
	.45	1.85	Scabiosa, Super Giant Mixed	.45	1.85
5	.45	1.85	Snapdragon, Super Giant Mixed	.45	1.85
Marigold, Dwarf Double, Harmony	.45	1.85	Snapdragon, Half Dwarf Mixed	.45	1.85
, , , , , , , , , , , , , , , , , , , ,	.45	1.85	Stocks, Dwarf Ten Weeks Mixed	.45	1.85
Marigold, Tall, Sunset Giants Mixed	.45	1.85			
Marigold, Tall, Yellow Supreme	.45	1.85	Verbena, Large flowering Mixed	.45	1.85
Petunia, Balcony Mixed	.45	1.85	Zinnia, Giant flowered Mixed	.45	1.85
	.45	1.85	Zinnia, Lilliput Mixed	.45	1.85
,		,			

#### Vegetable Plants

Tomato plants are ready after May 1, Eggplants and Peppers about May 15, and the others about April 15. There are about 60 plants in a flat of Eggplants, about 80 in a flat of Celery, Tomatoes, and the other kinds.

	Doz.	Flat		Doz.	Flat
Broccoli, Green Sprouting\$	0.40	\$1.85	Eggplant, Black Beauty	50.50	\$1.85
Brussels Sprouts, Half Dwarf	.40	1.85	Kohlrabi, White Vienna	.40	1.85
Cabbage, Copenhagen Market	.40	1.85	Lettuce, Great Lakes (Iceberg)	.40	1.85
Cabbage, Red Hollander		1.85	Lettuce, White Boston	.40	1.85
Cabbage, Drumhead Savoy	.40		Lettuce, Romaine Cos	.40	1.85
Cabbage, Late, Wisc. Hollander No. 8	.40	1.85	Parsley, Double Curled	.40	1.85
Cauliflower, The Forbes	.40	1.85	Pepper, California Wonder		1.85
Celeriac, Knob Celery Moonachie	.40	1.85	Pepper, World Beater		1.85
Celery, Golden Plume	.40	1.85	Tomato, Marglobe, Ponderosa, Rut-		
Celery, King Pascal (green)	.40	1.85	gers, Red Plum, Valiant, Gold Queen	.40	1.85
Celery, Ixing I ascar (green)			8-1-1-1-1-1		

★IMPORTANT NOTICE: Under wartime conditions we cannot deliver any plants C. O. D.; and on orders solely for plants, we make a delivery charge of 15 cts. extra for each variety ordered, with a minimum charge of 30 cts. and a maximum of 75 cts. We ask for your cooperation in calling for your plants whenever possible.

# Stop at... FORBES SALES GARDEN

on Route 10, Hanover, N. J.

(one mile west of the Livingston Traffic Circle)

There our field store, pictured below, is open from April 1 to November 1. With one stop you can select from the best varieties, your requirements of

Vegetable Seeds, Vegetable Plants, Flower Seeds, Annual Flower Plants, Perennial Flower Plants (in pots), Summer-flowering Bulbs, Lawn Seed, Fertilizers, Humus and Peat Moss, Insecticides, Weed Killers, Tools, and many other Garden Needs

and we'll be glad to help you with your garden problems.

Lacking help, we have discarded our perennial border and Iris displays but our Narcissus and Daffodils are worth seeing in late April and our Tulips in May. You are welcome whenever you may be passing.

#### Giant-Flowered Pansy Plants

Try some of these huge-flowered varieties. Unlike the early bedding Pansies, these continue to bloom, in full sun or half shade, right through to fall. Super Swiss Giants. Very large flowers, many beautifully frilled, on nice strong plants. The colors include bronze, silver, gold and copper—winered, pink, salmon, silver-gray, brown, Indian red, steel-blue, dark blue and yellow.

**Dwarf Swiss Giants.** Almost as large flowered as the above but the plants are dwarfer and more compact. The color range is quite outstanding with flowers of perfect form with thick, velvety, rounded petals.

Maple Leaf Giants. Compact plants with large attractive foliage and gigantic blooms of beautiful form in a bright range of colors. Their beauty may be enjoyed through a long season.

Any of above, \$1.25 per doz., 25 for \$2.25, \$8 per 100 For Viola Plants see under Perennial Plants on opposite page.



A view of our Field Store on Route 10, at Hanover, N. J.




Above, from the "Forbes" Lawn Grass Seed

#### Does Your Lawn Harbor Japanese Beetles?

The annual attack on our gardens by Japanese beetles ends when the last adult female beetle burrows down under your lawn, or your neighbor's, to lay the eggs that produce next year's beetle crop. The grubs hatch out and work up toward the surface, eating off the lawn grass roots on the way. Near the surface they transform into the beetle stage and emerge next season to torment and discourage your gardening efforts. There are simple effective methods to destroy these unwelcome guests from Japan. See inside back cover.

Below, from our Elite Lawn Grass Seed



# Forbes Lawn Seed for Every Need

The best in seeds and care is essential to have a fine lawn. Forbes quality, known the country

over, has set a high lawn standard, and Forbes service is at your disposal at all times.

Many grades of lawn grass seeds of varying qualities are offered for sale. Many contain seeds of worthless character, chaff, and weed seeds. Often a single variety or a blend of two grasses is sold as lawn seed. The best lawn is produced from a mixture of several natural grasses. To be of greatest value, these grasses must be properly proportioned in the mixture so that there is enough of each to serve its specific purpose.

The mixtures we offer, made up from special formulæ, are the result of years of experiment

and of practical tests. Each mixture will produce a turf ideally suited to each purpose.

#### The "Forbes" Lawn Grass Seed

A rapid-growing combination of grasses which produces in from four to six weeks, a permanent lawn capable of withstanding heavy wear. It contains seeds of five dwarf evergreen and perennial grasses of fine lawn texture. Definite proportions of these are mixed very thoroughly. The resultant lawn has a fine, even, rich green appearance and a permanency not usually found. Known for its high quality, it is higher priced than ordinary store mixtures but cheapest in the long run. It contains only heavy, recleaned, live seeds, free from worthless chaff, timothy and weed seeds. We do not use White Clover seed in this mixture.

½ lb. 40 cts.; lb. 70 cts.; 2 lbs. \$1.30; 5 lbs. \$3.15; 10 lbs. \$6.25; 25 lbs. \$15.25; 100 lbs. \$60, delivered. Complete directions with every package. For quickest results sow one pound to every 100 sq. ft. (10 x 10 ft.) of new ground, or 400 lbs. to the acre. Half this quantity gives good results but takes longer.

#### Elite Lawn Grass Seed

A very superior blend of only the finest and most desirable separate lawn grasses in such proportion as to produce a perfect lawn, but one which requires no special care such as an all-Bent Mixture. The Elite turf is of very fine texture and splendid deep green color yet is sturdy and withstands normal wear. It lends itself to easy mowing and because of its thick, close root-mat discourages the growth of ordinary weeds. It is not mixed to sell at a fixed price and is better value than cheaper mixtures.

Lb. 90 cts.; 2 lbs. \$1.75; 5 lbs. \$4.25; 10 lbs. \$8.25; 25 lbs. \$20; 100 lbs. \$78, delivered.

#### Branch Brook Park Lawn Grass Seed

This mixture, named for one of Newark's beautiful parks, is recommended for use where the low cost of materials is of more importance than extreme fineness of turf. The individual grasses used are of fine recleaned quality and high vitality. It will take about five weeks to produce a good covering of turf. This will withstand normal wear and has a fine color. We include no White Clover in this mixture.

½lb. 30 cts.; lb. 55 cts.; 2 lbs. \$1.05; 5 lbs. \$2.50; 10 lbs. \$4.85; 25 lbs. \$11.75; 100 lbs. \$45, delivered.

#### Lawn Clovers

Kent Clover (Wild White Clover). The plants bear fewer blossoms than ordinary white Clover, grow very close to the ground, are tenacious and form a dark green, thick sward. Oz. 35 cts.; 1/1b. \$1; Ib. \$3; 10 lbs. \$27.50.

White Clover. A very hardy creeping perennial with dark green compact foliage. Used where it is difficult to produce a lawn with grass seed only. Use 1 lb. with 25 lbs. of lawn seed. ½lb. 40 cts.; ½lb. 70 cts.; lb. \$1.30; 10 lbs. \$12; 100 lbs. \$110.

#### BE SURE TO FEED AND SEED YOUR LAWN

The great interest in Victory Vegetable Gardens may tempt you to neglect your lawn. Don't do this. To have a lasting, green lawn replenish it with lawn seed and plant food each year. This year we offer Lawn Fertilizer, a commercial fertilizer made specially for top-dressing lawns. Use this or one of the weed-free animal manures such as Bovung, Cow Manure, Driconure, Poultry Manure or Sheep Manure. See page 16.

Forbes Lawn Seed for Every Need

When comparing prices look on the package for the percentage analysis required by State Law. You'll find that you get your money's worth if you buy the "Forbes" Lawn Seed.

#### Shady Place Lawn Grass Seed

It is difficult to grow grass in the shade and under trees because the trees use up nearly all the food and moisture in the soil. This mixture will thrive better than any other and is the best possible for under trees. Water frequently until grass is well started.

½ Ib. 45 cts.; Ib. 85 cts.; 2 Ibs. \$1.65; 5 Ibs. \$4; 10 Ibs. \$7.50; 25 Ibs. \$18; 100 Ibs. \$70, delivered.

#### Terrace Lawn Grass Seed

The grasses used for a sloping bank or terrace must have such roots as will withstand the washing caused by heavy rains. This mixture forms a network of densely matted roots of deep-rooting character. These deep roots will better withstand drought during the summer as they reach down below the surface dryness. After seeding, cover with a little soil and firm down to keep from washing out. On steep slopes it is sometimes best to cover after seeding with sheet burlap, pegged down.

½ Ib. 45 cts.; Ib. 85 cts.; 2 Ibs. \$1.65; 5 Ibs. \$4; 10 Ibs. \$7.50; 25 Ibs. \$18; 100 Ibs. \$70, delivered.

#### Special New Jersey Lawn Mixtures

We offer below the Lawn Grass Seed Mixtures we have prepared from highest quality individual grasses, in accordance with the formulæ recommended and published by the New Jersey State Agricultural Experiment Station, at New Brunswick, N. J.


Formula No. 1 (With White Clover) and Formula No. 1A (Contains no White Clover). For fair to good soils. Each, Lb. 70 cts.; 5 lbs. \$3.25; 10 lbs. \$6.35; 25 lbs. \$15.50; 100 lbs. \$59.

Formula No. 2. For finest quality turf. Lb. 90 cts.; 5 lbs. \$4.25; 10 lbs. \$8; 25 lbs. \$19.50; 100 lbs. \$75.


**Formula No. 3.** For shaded areas, where soil is fairly good. Lb. 95 cts.; 5 lbs. \$4.50; 10 lbs. \$8.50; 25 lbs. \$20.75; 100 lbs. \$80.

Formula No. 4. This mixture is specially made for poor clay soils, shale or sandy soils. Lb. 90 cts.; 5 lbs. \$4.25; 10 lbs. \$8; 25 lbs. \$19.50; 100 lbs. \$75.

We ship all Lawn Grass Seed Mixtures, transportation free, to any point in the U. S. A.



Sown with our Shady Place Lawn Grass Seed



Sown with our Terrace Lawn Grass Seed

#### Individual Grass Seeds

These are true, unblended new crop, recleaned to the highest purity and germination. The prices below are subject to market changes

Bent, Astoria (Agrostis capillaris). Dense matted sod binds well. Develops from strong underground runners. Sow 125 lbs. to the acre. Lb. \$1.75; 10 lbs. \$16.50; 100 lbs. \$150.

Bent, Colonial or Rhode Island (Agrostis tenuis). Makes excellent fine turf on moist soils. Lasts indefinitely under close mowing. This variety thrives well on acid soils. For lawns, sow 175 lbs. to the acre. Lb. \$1.75; 10 lbs. \$16.50; 100 lbs. \$150.

Canada Blue Grass (Poa compressa). A suitable grass for hard, dry soils. Excellent for rooting on steep places. Sow 42 lbs. to the acre. Lb. 70 cts.; 10 lbs. \$6.50; 100 lbs. \$55.

Chewing's New Zealand Fescue (Festuca rubra fallax). Mat-like, green, tough turf with needle-like, bristly leaves suited to almost all soils including sand. Does well in shade. Fine for lawns. For lawn, sow 40 lbs. per acre. Lb. \$1.10; 10 lbs. \$10.50; 100 lbs. \$100.

Common Ryegrass. This is a mixture of Italian Ryegrass and English Ryegrass, grown in the United States. Lb. 30 cts.; 10 lbs. \$2.50; 100 lbs. \$20.

Perennial Ryegrass (Lolium perenne). Forms compact sward, bright green through season, and is a rapid grower. Sow 60 lbs. to the acre. Lb. 55 cts.; 10 lbs. \$5; 100 lbs. \$45.

Kentucky Blue Grass, Superfine (Poa pratensis). Suited to a variety of soils and used as pasture. It is unusually early, showing green in early spring when other grasses are still dormant. Sow 60 lbs. to the acre. Lb. 70 cts.; 10 lbs. \$6.50; 100 lbs. \$55.

Meadow Fescue (Festuca pratensis). Fine annual grass for permanent pastures, highly nutritious and relished by stock. Succeeds well in all soils but best on moist land. Grows over a long season. Sow 60 lbs. to the acre. Lb. 65 cts.; 10 lbs. \$6; 100 lbs. \$50.

Orchard Grass (Dactylis glomerata). Valuable on account of its earliness and rapid growth. Succeeds on any soil, especially in moist, shady places. As it is inclined to grow in tufts, sow it evenly. Sow 50 lbs. to the acre. Lb. 70 cts.; 10 lbs. \$6.50; 100 lbs. \$60.

Redtop Fancy, Superfine (Agrostis palustris). Used for mixing in hay or permanent pasture in a moist, rich soil where it attains a height of 2½ feet. We offer best quality recleaned seeds, free from chaff. Sow 32 lbs. to the acre. Lb. 55 cts.; 10 lbs. \$5; 100 lbs. \$40.

Timothy (Phleum pratense). Perennial, 4 feet high, thrives in moist, loamy soils. Sow 40 lbs. per acre. Lb. 25 cts.; 10 lbs. \$2; 100 lbs. \$15. (A bushel weighs 45 lbs.)

#### Field Seeds

The prices below are subject to market changes. Samples and current prices on request. Please compare our quality when you consider other offers

Alsike Clover. The hardiest of all and stands freezing. Good for green forage, pasture, or hay, it is sown with other grasses and Clovers, forming a thick bottom and increasing the hay-yield. Sow, if alone, 8 lbs. per acre; if used with Red Clover and Timothy, add 3 lbs. per acre. Weighs 60 lbs. to the bushel. Lb. 65 cts.; 10 lbs. \$6.

Red Clover. Does well on all except sour soils growing two crops per year 2 feet high. It yields 2 to 3 tons of cured hay per acre. If alone, sow broadcast 12 to 14 lbs. to the acre. Weighs 60 lbs. to the bushel. Lb. 65 cts.; 10 lbs. \$6.

Buckwheat, Mammoth. A large-seeded strain giving a very heavy yield. It is best to sow 75 pounds to the acre, if alone about June 15, or if with Clover from then until August 1. After the Buckwheat is taken off, the Clover will make good growth but if the Buckwheat is killed by frost it will make an excellent mulch to improve the Clover. Lb. 15 cts.; 10 lbs. 90 cts.; 100 lbs. \$7.

Rye, Selected Rosen. Excellent for cover cropping or green manuring and yields a heavy crop if grown for grain. Sow 85 pounds per acre. Lb. 10 cts.; 10 lbs. 75 cts.; 100 lbs. \$6.50.

## Forbes Fertilizers and Soil-Builders

These prices are subject to change without notice

The success of your garden depends upon the quality of the soil. All plants need ample plant-food. By ample is meant not only the quantity but also the availability. The soil must hold plant-food and moisture, yet be in such condition that the plant roots can absorb what is needed. It should be sufficiently rich in humus or decayed vegetation to absorb excess moisture and hold it for later use. It should have enough clay to give it some body and enough sand to make it porous and friable. But even with a perfect soil, plant-food must be added each year to replace that which is consumed.

Acid Super-Phosphate. This yields valuable Phosphoric Acid. Apply 1000 lbs. to each acre or 20 lbs. per 1000 sq. ft. as a top-dressing for lawns, and drench thoroughly with water. Avoid use when hot. 25 lbs. 90c.; 100 lbs. \$2.75; 500 lbs. \$12.50.

Adco. For making artificial manure by stacking straw, leaves and other vegetable waste, layer by layer, mixing it with Adco, and keeping it wet until well rotted. A 25-lb. bag with 12 wheelbarrow loads of garden waste, makes ½ ton of manure. 7½ lbs. \$1; 25-lb. bag \$2.25; 150-lb. bag \$10.50.

Aluminum Sulphate. Use to acidify the soil in rhododendron beds, and other soursoil plants. Use a liberal sprinkling by hand several times a year, 5 lbs. 50c.; 10 lbs. 80c.; 25 lbs. \$1.50; 100 lbs. \$4.75.

Bone-Meal. Because of its slow disinqualities, this is desirable for fertilizing all hard-wooded plants, including roses, flowering shrubs, fruit bushes, and trees. A liberal application mixed into the soil before planting bulbs of tulips, hyacinths, etc., will result in remarkable size and brilliancy of flowers. For lawns it is a dependable fertilizer, as it contains the essentials that grass requires. May be broadcast as a top-dressing either in early spring or during the growing season with beneficial results. For this use 25 lbs. for every 1000 sq. ft. For trees and vines, use 2 to 4 lbs. each. For roses and pot-plants, use 1 part to about 50 parts of soil. For field and garden crops or new lawns, use 50 lbs. for every 1000 sq. ft. 5 lbs. 55c.; 10 lbs. 95c.; 25 lbs. \$1.65; 50 lbs. \$2.85; 100 lbs. \$4.75; 500 lbs. \$22.50; 1000 lbs. \$42.

Bovung. A dehydrated, pulverized cowmanure product free from weed Clean, odorless, easily applied. Apply 50 lbs. to 200 sq. ft. of new lawn, half that much to top-dress old lawns. 50 lbs. \$1.85; 100 lbs. \$3.60; 500 lbs. \$17.50.

Cow-Manure. In dry pulverized form and easy to handle. This is an ideal soil-builder and mulch, particularly for perennial beds. It is fine for lawn, garden and greenhouse and excellent to mix with compost. When used for top-dressing it works down into the soil, leaving no waste. 25 lbs. \$1.45; 50 lbs. \$2.40; 100 lbs. \$4; 500 lbs. \$17.50; ton \$67.

Driconure. This is the improved product, containing about ¾ cow and poultry manures in dehydrated form, and ¼ peat moss, finely ground and easy to apply. This complete all-organic fertilizer and soil-conditioner is free from weed seeds, insect infestation and trash of any kind. The peat moss prevents burning as it holds the plant-food and moisture until they are used up by the plant roots. Driconure is ideal for top-dressing lawn or garden. 50 lbs. \$2; 100 lbs. \$3.90; 500 lbs. \$19; 1000 lbs. \$36; ton \$70.

Hormodin Powder No. 1. For plant propagation. Produces better roots faster. Dip moistened stems of cuttings of house, garden and greenhouse plants in powder before placing in propagating bed. 13/4-oz. size, 50c.

Hyper-Humus. This ideal soil-builder for lawn or garden is a pure organic material similar to leaf mould but of finer texture and is non-acid. Humus gives to soil that porous, crumbly condition essential to plant-growth; renders clay soils lighter in character and more aërated; binds together sandy soils; and increases the moisture-retaining quality of all soils. It is odorless, dry, and easily handled, and absolutely free from weed seeds. Fine for mixing with potting-soil. On new lawns, apply 100 pounds per 60 square feet. In top-dressing old lawns, use 100 pounds per 100 square feet. In bags, 50 lbs. \$1.25; 100 lbs. \$2; 500 lbs. \$9; 1000 lbs. \$15; ton \$28. Special price on bulk delivered.

Lawn Fertilizer. For lawns, shrubs, etc. A properly balanced commercial fertilizer for this purpose. Top-dress 25 lbs. per 1000 sq. ft. each spring to maintain a rich green, healthy growth. On new lawns use 50 lbs. per 1000 sq. ft. and rake in surface soil. 25 lbs. \$1.50; 50 lbs. \$2.50; 100 lbs. \$4; 500 lbs. \$19; 1000 lbs. \$36.

Lime, Hydrated Agricultural. Corrects acid conditions of the soil, binds loose soils and opens heavy land. It is very quick-acting but will not burn if scattered evenly when lawn is dormant. As an early spring or late fall dressing for lawns, broadcast 50 lbs. per 1000 sq. ft. 10 lbs. 35c.; 50 lbs. 70c.; 100 lbs. \$1.30; 500 lbs. \$6; ton \$21. Broadcast 1 ton to the acre.

Limestone, Pulverized. Easier to apply than Hydrated Lime and does not "gum up" on wet soils. Use 70 lbs. per 1000 sq. ft. broadcast. 80-lb. bag 75c.; 400 lbs. \$3.50; 800 lbs. \$6.50; ton \$15.50.

Nitrate of Soda. A quick plant-stimulant. Use not more than 1 lb. to 100 sq. ft., raked in. For lawns, use 5 lbs. per 1000 sq. ft., but first mix with four times its bulk of fine soil or sand. As a liquid use 1 oz. in 1 gal. of water. 5 lbs. 60c.; 10 lbs. \$1.

#### Victory Garden Fertilizer. Analysis 5-10-5

For food-production only. This is the best commercial fertilizer for your Victory Vegetable Garden and small fruits. It is a well-balanced, complete fertilizer containing all the food elements needed for quick growth, early maturity, and perfect development. For gardens broadcast 100 pounds per 1000 sq. ft. and rake in well or mix a little thoroughly through the soil in the bottom of the furrow before planting your seeds. Hoe it into the soil between the rows of plants, using about 5 pounds to 100 feet, repeat this each month. 5 lbs. 50c.; 10 lbs. 80c.; 25 lbs. \$1.40; 50 lbs. \$2.20; 100 lbs. \$3.50; 500 lbs. \$16.50; ton \$64.

Poultry Manure. Plant food in readily available form, dry, easy to use. Mix with equal parts good loam and top-dress lawns. Use at the rate of 50 lbs. per 1000 sq. ft. For gardens use twice as much. 50 lbs. \$2.25; 100 lbs. \$4.25; 500 lbs. \$20.

Sheep-Manure. Much superior to the Sheep and Goat Manure. Has all the essential plant-food elements of stable manure without the bulk, weed seeds, and waste matter. For vegetables, scatter 200 lbs. per 1000 sq. ft. and rake in. Broadcast 100 lbs. per 1000 sq. ft. over the old lawn or rake thoroughly into the top-soil a day or two before seeding a new one. For liquid manure, use one pound to five gallons of water. 5 lbs. 50c.; 10 lbs. 80c.; 25 lbs. \$1.45; 50 lbs. \$2.40; 100 lbs. \$4; 500 lbs. \$17.50; ton \$67.

Sulphate of Ammonia. Fast plant-stimulant tending to make soil acid. Increases leaf-growth. When top-dressing lawns apply 1 lb. to every 150 sq. ft., but first mix with several times its bulk of soil or sand. Between vegetable rows scatter 3 lbs. to 100 feet and hoe in. As a liquid dissolve 1 oz. in a gal. of water and apply to the roots avoiding the plants. Not avoid ble

roots, avoiding the plants. Not available. Wood Ashes. These contain potash and lime. For top-dressing lawns, destroying insects and weeds, particularly moss; use 100 lbs. to 1500 sq. ft. Also good for fruit. 25 lbs. \$1.10; 50 lbs. \$2; 100-lb. bag \$3.50; bbl. (about 200 lbs.) \$6; ton \$50.

#### House-Plant Food

**Plantabbs.** A concentrated fertilizer. Easy to use; clean and odorless, inexpensive and work like magic. 30 tablets 25c.; 75 tablets 50c.; 200 tablets \$1; 2 lbs. \$2.75.

#### Vitamin B<sub>1</sub>

Induces greater growth, larger blooms, stronger roots. Apply while sprinkling. Liquid form, 25c. size makes 100 gals.; \$1 size makes 800 gals.

#### Granulated Peat Moss

It is a well-known garden fact that mechanical soil-condition contributes largely to the success of any garden. Granulated Peat Moss, incorporated liberally into the soil, prevents baking and crusting, improves aëration, contributes to the formation of humus, lightens and makes the soil more friable, acts as a reservoir for soil-moisture and concentrated plant-fertilizers and assures maximum root-development.

By mixing Granulated Peat Moss liberally into the soil at the time of planting, you will be assured of more luxuriant growth of flowers, lawns, and shrubbery during the growing season. For mulching, it is used extensively both for summer moisture-retention and winter-protection, about roses, evergreens, perennial beds, shrubbery.

Trial size \$1 (about 2 bus.) enough to cover 30 sq. ft. 1 inch deep. Large bale \$4.75 (about 20 bus.) will cover 300 sq. ft. 1 inch deep; 5 large bales at \$4.65 per bale

#### FREE DELIVERY

We deliver FREE, by our own trucks, within the suburban area of Newark, N. J. (viz. all of Essex and Union counties; and Chatham, Florham Park, Hanover, Madison and Morristown in Morris County) all merchandise offered in this Catalog.

We ship transportation FREE within 100 miles of Newark, N. J. (and outside the above suburban area), all merchandise offered herein except Plants, but at our option by Parcel Post or Express to your address or nearest Post or Express Office, or by Freight to your nearest Station.

We ship, transportation FREE to any point in the United States, at the prices in this Catalog, all Vegetable Seed, Flower Seed and Lawn Grass Seed Mixtures offered herein.

CHICAGO, ILLINOIS STANLEY WESSEL & COMPANY TRADE MARK REG. IN U. S. PAT. OFFICE

PRICE U œ PUANTITY

FIRST CLASS PERMIT No. 506 (Sec. 510, P. L. & R.) NEWARK, N. J.

#### BUSINESS REPLY ENVELOPE

4c-POSTAGE WILL BE PAID BY

ALEXANDER FORBES & CO.

487 WASHINGTON STREET

NEWARK 2, N. J.

FOLD ON THIS LINE

ORDER—WE PAY THE POSTAGE. NO STAMP NECESSARY TO MAIL THIS plainly on the other side of this blank. Your Name and Address are written Before Sealing Be Sure IMPORTANT



on Chicago or New York, or by Personal check. REMITTANCES should be made by Post Office Money Order, Express Money Order, Bank Draft When mailing currency or coins seal and regis-

ter the letter. Wrap coins securely in strong paper to prevent slipping and enclose in this blank.

# NO ENVELOPE OR STAMP NECESSARY

FOLD, SEAL AND MAIL

PHONE MARKET 2-3740

CO., SEEDSMEN

FORBES &

ALEXANDER

SALES GARDEN AND FIELD STORE PHONE WHIPPANY 8-0375 Located on Route 10, Hanover, N. J., about one mile west of the Livingston Traffic Circle.

City Store and Warehouse on south Washington St. between Kinney St. and Clinton Ave. EASY PARKING.

487 WASHINGTON ST., NEWARK, N. J.

		or send C. O. D. or
Delivery—Mail Express—Freight to—	- 40	charge to my account Date, 1945
FREE DELIVERY. W	We deliver FREE to any point in the United States, at the prices in this Catalog, all Flower Seeds and Vegetable Seeds offered herein.	ces in this
1	ARTICLES WANTED	PRICE
¥		
9		
4		
	CONTINUED OVER	Œ Œ

H

Z

Forbes Sales Garden and Field Store on Route 10, Hanover,

Telephone: WHippany 8-0375

# Remedies for Insects, Plant Diseases and Pests

Full directions for use are shown on every package

- Anti-Ant. Effective against ants that infest lawns. Sprinkle on board and place near by. 4 ozs. 40c.
- Ant-Trap, "Tat." Harmless to children and pets. Place traps 15 ft. apart where ants are numerous. Destroys colony in two weeks. 25c. each; \$2.75 doz.
- ARSENATE OF LEAD. Kills Japanese Beetle grubs in the soil. On new lawns apply 35 lbs. per 1000 sq. ft. and work to a 3-inch depth. On existing lawns, apply 5 lbs. per 1000 sq. ft. for light infestation and 15 lbs. per 1000 sq. ft. for bad infestation. Mix with 25 times its bulk of soil and spread evenly. Apply before June or July. Avoid applying to soil of flower, shrub, and vegetable beds. For spraying trees, shrubs against attacks of leaf-biting insects, use 1 lb. to 50 gals. of water. In powdered form it is easy to handle. Lb. 40c.; 4 lbs. \$1.20; 24 lbs. \$5; 48 lbs. \$8.25; 96 lbs. \$16.50.
- BLACK LEAF 40. An insecticide for all sucking insects such as plant lice, aphis, red spider, leaf hopper, thrip, etc. Dilute 2 teaspoonfuls to 1 gal. of water, and spray. 1-oz. bottle 35 cts.; 5 ozs. \$1; lb. \$2.50; 5 lbs. \$6.90.
- BORDEAUX MIXTURE. A fungicide for mildew, blight, rust, scab, and all fungous diseases. Has just double the strength of paste form. Use 1 lb. to 8 gals. of water, or if blight is serious, to 5 gals. Lb. 40c.; 4 lbs. \$1.20; 24 lbs. \$5; 48 lbs. \$8.25.
- Chaperone Liquid. Spray hedges, garbage cans, etc., to keep dogs, cats, rabbits away. Rain won't spoil. 4 ozs. 50c.; 12 ozs. \$1.
- Chinch Bugs in Lawns. Mow closely. Apply 25 lbs. Tobacco Dust (Fine) or Rotenone per 1000 sq. ft. of affected lawn, on hot, dry day about June 1 and again June 10. Repeat Aug. 5 and 15.
- Corn Ear Worm Drops. Apply to tip of ear after silk is browned for control of ear worms. 2 ozs. 35c.
- Cutworm Killer, Go-West. Circle newly set seedlings with this before nightfall. Controls cutworms, sowbugs, snails, earwigs, grasshoppers. Garden size (treats 400 square feet) 60c.
- Cyanogas (A) Dust. For outside use in killing rats, moles, woodchucks and ground squirrels, also white grubs in lawns. Lb. 75c.
- EVER GREEN. Effective against cutworms, cucumber beetles, cabbage worms, rose slugs, aphis, thrip, etc. Will not injure tender plants or roses. Kills gladiolus thrip. It is a non-poisonous material. Not available.
- Fish-Oil Soap. A summer spray for San Jose scale and soft-shelled insects. Lb. 35c.; 5 lbs. \$1.25.
- Gladiolus Thrip Control. Spray with a mixture of ½lb. Arsenate of Lead, 2 qts. of molasses and 17 gals. of water every week or 10 days.
- Grafting Wax. For grafting, budding, etc., of all trees. ½lb. 35c.; lb. 65c.
- Japanese Beetle Control. See right of page.
- LIME-SULPHUR, DRY. Convenient to handle, will not freeze. For dormant spray use 10 to 14 lbs.; for summer spray 2 to 3 lbs., to 50 gals. water. Lb. 40c.; 5 lbs. \$1.50; 25 lbs. \$5; 100 lbs. \$17.
- Mologen. Powder which kills moles in lawns. Non-poisonous. ½lb. can 50c.; 1½ lbs. \$1.25.
- Mole-Nots. Drop one to a hole opened at 6-foot intervals in mole-run. Close holes with soil, lightly. In three days flatten run. Box 35c.

- Mosquito Repellent, Skeet-Check. An ointment repellent in handy tube. Easy and pleasant to use. Oz. tube, 35c.
- Mouse-Nots. Non-poisonous to humans, dogs, etc. Place where likely. Box 25c.
- Nico-Fume Powder Pressure Fumigator. Destroys aphis in greenhouses. Lb. 75c.; doz. \$8.50. Para Dichlorobenzene. Best for peach-borer. If you cover it with soil surrounding the tree, it emits a heavy gas which descends throughout the root growth; destroys borers. Lb. 60c.; 5 lbs. \$2.50.
- Pestex. Dust on soil to repel rabbits, moles, mice, dogs, cats. Lb. 50c.; 5 lbs. \$2.25.
- Poison Ivy. Destroy with Ammate Weed Killer.
- Pomo-green, with Nicotine. Effective against chewing and sucking insects and to control mildew and black-spot. Lb. 75c.; 4½ lbs. \$3.
- RED ARROW GARDEN SPRAY. Effective, non-poisonous. Will not stain or injure tender flowers. A contact spray that kills sucking and chewing insects. Oz. 35c.; 4 ozs. \$1; pt. \$2.85.
- ROTENONE DUST. A non-poisonous dust containing one-half of one per cent rotenone. Very effective against bean beetles and other chewing and sucking insects. The most effective of all. Very effective against Chinch Bugs in lawns. Lb. 35c.; 5 lbs. \$1.35; 10 lbs. \$2.40; 25 lbs. \$5; 50 lbs. \$9; 100 lbs. \$17.
- Scalecide. For San Jose scale. A non-poisonous preparation. Mix 1 gal. to 20 gals. of cold water. Use in late fall, winter, early spring, when foliage is off. Qt. 75c.; gal. \$1.75; 5 gals. \$6.35.
- Semesan. Disinfectant for vegetable and flower seeds. Successful for the malignant disease called "Brown Patch," on lawns. 2 ozs. 40c.; 15ozs. \$2.50.
- **Slug-Shot.** A non-poisonous powder, applied by dusting on the plants. Non-injurious. Effective remedy for potato bugs, beetles, slugs, cabbage worms, etc. Lb. 30c.; 5 lbs. \$1.20; 25 lbs. \$5.50.
- Sulphur, Powdered. Controls mildew. Use as a dust. Lb. 15c.; 5 lbs. 50c.; 10 lbs. 90c.; 100 lbs. \$7.
- Sulphur, Wettable. For black-spot and mildew as a spray. Combines readily with Arsenate of Lead, Nicotine, Rotenone and Pyrethrum sprays. Lb. 20c.; 4 lbs. 65c.; 24 lbs. \$3.
- Tobacco Dust (Fine). For fumigating, dusting and against Chinch Bugs in Lawns and ground insects around tree roots. Lb. 20c.; 5 lbs. 70c.; 25 lbs. \$1.75; 50 lbs. \$3; 100-lb. bag \$5.
- Tree Band Paste. Sticky compound which protects tree from creeping insects. Will remain soft three months in all weathers. One lb. makes 10 lineal feet of band. Lb. 65c.; 5 lbs. \$3.
- **TRI-OGEN.** The best spray for controlling black-spot, mildew and blight on Roses. Also specially recommended for Asters, Carnations, Chrysanthemums, Dahlias, Delphinium, Hollyhocks, Phlox, Snapdragons and many others.
- Kit A. Enough for 18 Roses for the season, \$1.50. Kit B. Enough for 60 Roses for the season, \$4.00.
- **Kit C.** Enough for 125 Roses for the season, \$6.00.
- Wilson's O. K. Plant Spray. An excellent general contact spray for garden or greenhouse. Dilute 1 qt. to 10 gals. water. ½pt. 40c.; qt. \$1.

Because of the interest expressed, we group below the best remedies.

#### For Japanese Beetle Control

Arsenate of Lead Treatment. See full directions in left column.

Beetle Traps. Placed around your garden, these will catch many beetles which can be easily killed with kerosene or hot water. Each beetle caught reduces next year's crop by hundreds. No. 1 (with jar) 70c.; No. 4 (with jar) \$1.35. Bait, 1 oz. 20c.; 4 ozs. 50c. Stands, 40c.

Spore Dust. Of the Milky Disease of the Japanese Beetle Grub. A biological material containing the microscopic bacilli of the milky disease which kills the grubs of the Japanese beetle. By applying this spore dust to the infested turf, the grubs are infested with this disease and killed, as are subsequent broods of Japanese beetle grubs, because the milky disease bacteria remain alive and active. From each local area treated, this disease spreads and in time will provide complete coverage and remain effective for a long period. One pound, mixed with sand or soil for bulk, will uniformly cover 4000 sq. ft. of lawn. Sprinkle promptly to prevent spore dust from blowing away. Lb. (price on application).

Japellent. A non-poisonous arsenic-free insecticide and repellent that kills Japanese beetles on contact, and protects plants against injury. It is harmless to humans and animals, but deadly toxic to beetles and other leaf-eating insects. It leaves an invisible protective film. 3 ozs. (makes 4 gals.) 50c.; 12 ozs. (makes 15 gals.) \$1.50.

#### Weed Killers

Ammate Weed Killer. For easy and permanent destruction of Poison Ivy and Sumac. Thorough spraying of the foliage not only destroys the top growth but also the root system. Ammate is harmless to humans and animals and is not inflammable. It produces temporary soil sterility, the duration of which may be shortened by the application of hydrated lime after the plants are killed. Ammate is not "selective" and may kill all kinds of plants which it contacts. To avoid fine mists drifting to other plants, use a coarse spray to localize the application. One pound dissolved in one gallon of water usually covers an area of 100 sq. ft. As this solution is corrosive to brass and certain other metals, be sure to rinse sprayer well and dry out. 2 lbs. 75c.; 6 lbs. \$1.80.

Herbicide Weed Killer. Kills weeds and vegetation of all kinds which it contacts. It is specially useful for keeping clay tennis courts, driveways, and gutters weed free. If thoroughly applied, it usually prevents growth for a year under normal conditions. Dilute with water, 1 quart making 10 gals. of liquid sufficient for 250 sq. ft., 1 gallon making 40 gals. sufficient for 1000 sq. ft., and sprinkle. Qt. 60c.; gal. \$1.75; 5 gals. \$8.

Zotox. Kills Crab-grass plants and seeds without destroying permanent lawn grasses. This selective action is possible because Crab-grass has broader leaves than most turf grasses and many times the area of leaf surface, which causes it to absorb an excess quantity of the Zotox poison. Being a shallow-rooted annual also makes Crab-grass less resistant to Zotox than the deep-rooted perennial grasses. This treatment, when directions are carefully followed, may temporarily discolor the turf but after a few days it regains its natural color and vigor, while the Crab-grass is dead. (16 ozs. with 10 gals. water treats 2000 sq. ft.) The best time to apply is after July 15. 8 ozs. \$1; 16 ozs. \$1.50; 32 ozs. \$2.50.

# Carren Seeas

VEGETABLE, FLOWER and LAWN SEED VEGETABLE PLANTS, ANNUAL and PERENNIAL FLOWER PLANTS and BULBS - INSECTICIDES - FERTILIZERS

. D. G. NOTONIHZAW U.S. DEPT. OF AGRICULTURE 908 B. ST. S.W. POSTMASTER.—If undeliverable FOR ANY REASON, notify sender, stating reason, on Form 3547, postage for which is guaranteed. In case of removal to another post office, do not notify the addressee, but hold the matter and state on Form 3547 amount of forwarding postage required, which sender will promptly furnish. RETURN 3547 amount of forwarding postage required, which sender will promptly furnish. RETURN and removal to another postage required, which sender will promptly furnish.

Permit No. 1045 Newark, N. J.

PAID

U. S. POSTAGE

Sec. 562, P. L. & R.

487 Washington St., Newark 2, N. J. SEEDSWEN ALEXANDER FORBES & CO.